

SK'lt saadud sertifikaadi seadistamine krüptopulgale

Kui Te tellisite krüpteerimise või e-Templi sertifikaadi SK'lt krüptopulgal, siis Te olete saanud turvaümbriku, mis sisaldab krüptopulka ja administraatori parooli. Administraatori parool tuleb sisestada esimesel sisselogimisel.

1. Ava SafeNet Authentication Client ja vajuta **Advanced View** ikooni (Meenutab hammasratast)

afeNet Authe	entication	
arentee / tacine	Included	Advanced View
Alcorlink USB Smart Card Reader 0	1	Rename Token
SK ID Solutions AS	****	Change Token Password
**	1	Unlock Token
	\otimes	Delete Token Content
	Q	View Token Info
×		

2. Vasakul Tokensite all vali uus krüptopulk





SafeNet Authentication Client Tools		-	- 🗆	×
		т	HAL	.ES
SafeNet Authe	entication Clie	ent 🛛 💩 💿	1 ?	
SafeNet Authentication Client Tools	S II	🖼 🚔 🕴 🛊		
Aconink USB Smart Card Reader U	Token name	SK ID Solutions AS		
Initialize Token	Token category	Hardware		
	Reader name	SafeNet Token JC 0		
Log On to Token	Serial number (PKCS#11)	3DB9/462D7/5A854		
Change Password	Free space (minimum estimated)	69407	1070	
Import Certificate	Product asmo	oTokoo 5110 CC (940)	10/0	
Rename Token	Card time	IDPrime		
inclusive locenta	Applet Version	IDPrime Java Applet 4 4 2 A		
Log On as Administrator	Mask version	G286		
Change Administrator Password	Token Password	Present		
Set Token Password	Token Password retries remaining	5		
Lister Teles	Maximum Token Password retries	5		
Unlock loken	Token Password expiration	No expiration		
Change Digital Signature PIN	Administrator Password	Present		
Change Digital Signature PUK	Administrator Password retries remaining	5		
	Maximum administrator Password retries	5		
Cat Disital Cinestone DIN	EIDC	N/A		

3. Tee parem klikk ikoonil ja vali Set Token Password

4. Avaneb uus aken **Administrator Logon**. Sisesta parool (Turvaümbrikul, kleepsu taga olev parool). Vajuta **OK** – Krüptopulk on kasutamiseks valmis.

			3	THALES
SafeNe	et Authe	ntication Cli	ent 🍙	9 i ? 쉺
SafeNet Authentical	S Administrator Logo	'n	×	
✓ Tokens ✓ Alcortink US ✓ 🧝 SK ID Soluti	SafeNet Authe	ntication Client	THALES	
>	Enterthe Token's adminis	strator Password. SK ID Solutions AS		-01078
	Administrator Password:	I Current Language: EN		
		Token Password expiration	OK Cancel No expiration Present	
٢	>	Administrator Password retries remaining Maximum administrator Password retries FIPS	g 5 s 5 N/A	
				thalesgroup.com

5. Järgnevad punktid on **QSCD** e-Templi kohta - Järgmiseks tuleb lisada **Digital Signature PIN**.



6. Esmalt küsitakse **Digital Signature PUK**'i. *Digital Signature PUK asub kleepsu all* (Sama mis administraatori parool). Peale mida tuleb sisestada soovitud Digital Signature PIN kood. (Digital Signature PIN'i kasutatakse tembeldamiseks)

SafeNet Authen	tication Client Tools			- 🗆 X
				THALES
SafeN	et Authe	ntication Clie	ent a	o i ? 🖻
SafeNet Authen	SafeNet Authent	ication Client	THALES	
✓ QP Proov1 > ☆ Sett ☆ Client Settin	Enterthe Digital Signature Pl Token Name: Digital Signature PUK:	JK: Proov1 [Current Language: EN	OK Cancel	400701078
<u><</u>	>	Maximum Token Password retries Token Password expiration Administrator Password Administrator Password retries remaining Maximum administrator Password retries FIPS	5 No expiration Present 4 5 N/A	Ţ

Peale neid samme on seade kasutusvalmis.

Kui on probleeme, siis palun saatke e-mail selgituse ja kui võimalik pildiga meie <u>support@skidsolutions.eu</u> e-mailile või kiiremate probleemidega helistage +372 610 1883