

Certificate, CRL and OCSP Profile for Organisation Certificates Issued by SK

Document Information			
Name	Certificate and OCSP Profile for Organisation Certificates Issued by SK		
Version number	12.0		
Version No. and date	Changes		
09.04.2024 12.0	 Updated CA related field values with example values of 'SK ID Solutions ORG 2021E'; Removed descriptions of suspended Certificates due to ceasing Certificate suspension option from Certification service; CRL profile reinstated due to start usage of 'SK ID Solutions ORG 2021E' and 'SK ID Solutions ORG 2021R'. 		
11.03.2024 11.0	 Regular review and update of references performed; Removed 'nextUpdate' from KLASS3-SK 2016 OCSP response; Removed CRL reference from document as 'KLASS3-SK 2016' does not issue CRL; Chapters 1., 3. – Removed references to Intermediate CA 'KLASS3-SK 2010' due to termination of CA (end of life cycle); Chapter 2.1 – Changed certificate validity options. 		
01.02.2023 10.5	 Added Organisation Identifier values for eSeal EPREL (European Product Registry for Energy Labelling) Added 3072-bit RSA Public Key value <u>Chapter 3 – OCSP Profile: Archive Cutoff extension</u> <u>mandatory</u> <u>Chapter 3 – OCSP Profile: Clarification for different</u> revocation times added. 		
17.02.2022 10.4	 Chapter 2.1 - added random to certificate serial number description Chapter 2.2.1 - changed key usage and extended key usage references from 3.2.2 to 2.2.2 Added ETSI EN 319 412-3 reference. 		
12.07.2021 10.3	 Approved version; change of document name to SK-CPR-ORG (Certificate, CRL and OCSP Profile for Organisation Certificates Issued by SK); chapter 3.2 - changed sk.ee domain to skidsolutions.eu in certificate extensions; chapter 3 – Added new legal person semantics identifier (VAT); amended document overall wording and references. 		
19.08.2020 10.2	 Approved version; chapter 4 – changed OCSP Responder ID value; changed sk.ee domain to skidsolutions.eu; chapter 3.2.2 - "id-etsi-qcs-semanticsId-Legal" usage specified. Element "nameRegistrationAuthorities" used only for locally defined identity types; chapter 3.2.3 – specified certificate policy for all authentication certificates. 		
18.02.2020	Approved version;		



10.1	a sharter (added serves structure) (0000
10.1	 chapter 4 - added nonce extension support for OCSP;
	corrected responder ID value by adding CN of KLASS3-SK
	2010.
15.08.2019	Approved version;
10.0	• chapter 3.1 – usage of OU field in certificate subject is
	changed. No pre-defined values are added;
	• chapter 3.2.3 – new OID's are added under certificate policies
	what are used to define the certificate type;
	 chapter 6 – ETSI documentation versions updated.
04.01.2019	Chapter 3.1 - Added certificate validity periods;
9.0	 chapter 5.1 - Added certificate validity periods, chapter 5.2 - corrections and improvements of
5.0	• Chapter 5.2 - Corrections and improvements of AuthorityKeyIdentifier description;
	chapter 4 - new extensions added: Archive Cutoff; - Extended
	Revoked Definition and nextUpdate; CertStatus description is
	renewed.
30.11.2017	Approved version;
8.0	 removed TLS Server Certificate profile;
	• chapter 3.2.1 – CRL distribution point URL removed as it is not
	used in KLASS3-SK 2016;
	 amended document wording and format.
01.09.2017	• Draft of version 8.0.
7.1	
03.07.2017	Approved version;
7.0	• chapter 3.1- specified subject "Organisation Identifier" usage
	values.
04.04.2017	Draft of version 7.0.
6.1	
01.06.2017	Approved version;
6.0	 chapter 2 – changed the name of the issuer CA from KLASS3-
	SK 2010 to KLASS3-SK 2016;
	 chapters 3.1 and 5.1 – due to adding new CA KLASS3-SK 2016
	to this document, updated the Common Name value;
	 chapter 3.2.2 – replaced SK's former business name AS
	 Chapter 3.2.2 – replaced SK's former business name AS Sertifitiseerimiskeskus with its new name SK ID Solutions AS;
	 chapters 3.2.1 and 4 - due to adding new CA KLASS3-SK 2016 to this document, chapsed AIA OCSB page;
	to this document, changed AIA OCSP name;
01.02.2017	Chapter 3.2.1 – changed calssuers certificate URL.
01.03.2017	• Draft of version 6.0.
5.1	
03.02.2017	Approved version;
5.0	• chapter 3.1 - added corrections in certification body (Issuer)
	and CPS reference;
	• chapter 3.2.2 - specified Authentication Certificate key usage
	values;
	• chapter 3.2.2 - added semantics identifier "id-etsi-qcs-
	semanticsId-Legal" extension.
01.11.2016	• Draft of version 5.0.
4.1	
01.07.2016	Chapter 2 – added/renamed certificate profiles
4.0	• Chapter 3.2 - improved certificate extensions table;
	• Chapter 3.2.3 - new OID's added in certificate policies.
01.04.2016	Draft of version 4.0;
3.1	 document name renamed;



24.03.2016 2.1	 chapter 2 - renamed certificate profile types; chapter 2.1 - added terms and abbreviations; chapter 3.1 - improved "Technical Profile of the Certificate"; chapter 3.2 - improved certificate extensions table; chapter 3.3 - new OID's added in certificate policies; chapter 4 - added OCSP profile. Draft of version 3.0; chapter 2.1 - removed exception for SHA-1 Signature Algorithm; a chapter 2.21 - added Qualified Certificate Identifier 		
13.01.2015 2.0	 chapter 2.2.1 - added Qualified Certificate Identifier. Approved version. 		
14.11.2014 1.5	 Draft of version 2.0; chapter 2.1 - updated list of allowed key algorithms; chapter 3.1 - changed signature algorithm of CRL; chapter 4 - updated list of referred and related documents. 		
20.06.2014 1.4	 The term "web server certificate" replaced with "SSL server certificate"; updated and amended the certificate technical profile; added additional extension constraints to organisation certificate profile; restructuring. 		
14.02.2011 1.3	 p 1 – Software signing certificate removed from certificates section; p 3.2.2 – added "Data Encipherment" value for authentication and encryption certificates; p 3.3.2 – updated OID value and CPS reference. 		
10.05.2010 1.2	• Updated list of certificate types in chapter 1. Specified certificate field descriptions and changed field value for "CRL Distribution Point".		
13.08.2009 1.1 15.02.2005 1.0	 Updated profiles to meet the requirements originated from Digital Signatures Act. Removed the term "device certificates". Primary version. 		
Effective from date	09.04.2024		



1	Intr	Introduction5					
	1.1	Terr	ns and Abbreviations	5			
2	Tec	hnica	l Profile of the Certificate	6			
	2.1	Cert	tificate Body	6			
	2.2	Cert	tificate Extensions	8			
	2.2.1 Common Extensions of Organisation Certificates						
	2.2.	2	Variable Extensions	9			
	2.2.	3	Certificate Policy	10			
3	005	SP pro	ofile	11			
4	4 Profile of Certificate Revocation List						
	4.1 CRL main fields						
	4.2 CRL extensions						
5	Referred and related Documents15						



1 Introduction

The document describes profiles of organisation certificates issued by CA's KLASS3-SK 2016, SK ID Solutions ORG 2021E and SK ID Solutions ORG 2021R and OCSP responses of KLASS3-SK 2016, SK ID Solutions ORG 2021E and SK ID Solutions ORG 2021E and SK ID Solutions ORG 2021R.

SK's PKI hierarchy description can be found from chapter 1.1 from Organisation Certification Practice Statement [1]

This document complements Certificate Policy [2] and Certification Practice Statement [1].

The organisation certificates are divided into following types:

- **e-Seal Certificate** used for certifying digital documents and ensuring that the respective institution is associated with the specific document. e-Seal certificate can be issued under policy 'QCP-I' or 'QCP-I-qscd', see 0);
- **Certificate for Authentication** used for identifying legal persons or for ensuring the authenticity and integrity of electronic data;
- Certificate for Encryption certificate used for data encryption.

Various areas of application can be combined into a single certificate. The area of application of e-Seal Certificate cannot be combined with other areas of application.

1.1 Terms and Abbreviations

Refer to Certification Practice Statement [1].



2 Technical Profile of the Certificate

Organisation certificate is compiled in accordance with the X.509 version 3, IETF RFC 5280[3], clause 6.6 of ETSI EN 319 411-1 [11] and ETSI EN 319 412-3 [14]

2.1 Certificate Body

Field	OID	Mandatory	Value	Changeable	Description
Version		yes	Version 3	no	Certificate format version
Serial Number		yes		no	Unique and random serial number of the certificate
Signature Algorithm	1.2.840.1 0045.4.3. 3 or 1.2.840.1 13549.1. 1.12	yes	ecdsaWithSHA384 or sha384WithRSAEncrypti on	no	Signature algorithm in accordance to RFC 5280
Issuer Distinguished name		yes		no	Distinguished name of the certificate issuer
Common Name (CN)	2.5.4.3	yes	SK ID Solutions ORG 2021E or SK ID Solutions ORG 2021R		Certificate authority name
Organisation Identifier	2.5.4.97	yes	NTREE-10747013	no	Identification of the issuer organisation different from the organisation name. Certificates may include one or more semantics identifiers as specified in clause 5.1.4 of ETSI EN 319 412-1 [8].
Organisation (O)	2.5.4.10	yes	SK ID Solutions AS		Organisation name.
Country (C)	2.5.4.6	yes	EE		Country code: EE – Estonia (2 character ISO 3166 country code [12])
Subject Distinguished Name		yes		yes	Unique subject (device) name in the infrastructure of certificates.



Serial Number	2.5.4.5	yes		yes	Registry code of the subscriber as described in certificate application.
Common Name (CN)	2.5.4.3	yes		yes	Informal value can be used, according to subscriber requirements (also abbreviations can be used).
Organisational Unit (OU)	2.5.4.11	no		yes	The name of organisational unit as described in subscriber application. If the information about area is missing then OU is not added.
OrganisationName (O)	2.5.4.10	yes		yes	Subject (organisation) name as stated in certificate application.
Organisation Identifier ¹	2.5.4.97	yes	NP:{ISO3166 country code}-{registerCode} GO:{ISO3166 country code}-{registerCode} NTR{ISO3166 country code}-{registerCode} VAT{ISO3166 country code}-{registerCode} NTR{ISO3166 country code}-{EPREL_EUID}	yes	Identification of the subject organisation different from the organisation name as specified in clause 5.1.4 of ETSI EN 319 412-1 <u>[8]</u> . Used only in e-Seal certificates. If eSeal for European Product Registry for Energy Labelling (EPREL) is issued, Organisation Identifier value is presented by following EPREL guideline <u>[1]</u> <u>ANNEX 3 format.</u>
LocalityName (L)	2.5.4.7	no		yes	Name of the locality.
State (ST)	2.5.4.8	no		yes	State or province name of the subject as described in certificate application.

GO:{ISO3166 country code} - Register of State and Local Government Organisations;

NTR{ISO3166 country code} - {EPREL_EUID} - Business Registers Interconnection System (BRIS)

¹ NP:{ISO3166 country code} - Non-Profit Associations and Foundations Register;

NTR{ISO3166 country code} - National Business RegisterVAT{ISO3166 country code} -Tax identification number



Country (C)	2.5.4.6	yes		yes	Country code of the Subscriber in accordance with ISO 3166 [12].
Valid from		yes		no	First date of certificate validity.
Valid to		yes		no	The last date of certificate validity. Certificate validity can be up to 3 years.
Subject Public Key		yes	RSA 2048, RSA 3072, RSA 4096 or ECC 256, ECC 320, ECC 384, ECC 512, ECC 521	no	Public key created in RSA algorithm in accordance with RFC 4055. Public key of ECC algorithm is created in accordance with RFC 5480 or FIPS Publication 186-4 [7].
Signature		yes		no	Confirmation signature of the certificate issuer authority.

2.2 Certificate Extensions

2.2.1 Common Extensions of Organisation Certificates

Extension	OID	Values and limitations	Criticality	Mandatory
Basic Constraints	2.5.29.19	SubjectType=End Entity Path	Non-critical	yes
		Length Constraint=None		
Key Usage	2.5.29.15	Refer to p 2.2.2 "Variable	Critical	yes
		Extensions"		
Extended Key Usage	2.5.29.37	Refer to p 2.2.2 "Variable	Non-critical	yes
		Extensions"		
Authority Key Identifier	2.5.29.35	SHA-1 hash of the public key	Non-critical	yes
Subject Key Identifier	2.5.29.14	SHA-1 hash of the public key	Non-critical	yes
Authority Information	1.3.6.1.5.5		Non-critical	yes
Access	.7.1.1			
OCSP	1.3.6.1.5.5	http://aia.sk.ee/org2021e	Non-critical	yes
	.7.48.1	or		
		http://aia.sk.ee/org2021r		
calssuers	1.3.6.1.5.5	https://c.sk.ee/ORG 2021E.der.crt	Non-critical	yes
	.7.48.2	or		
		https://c.sk.ee/ORG 2021R.der.crt		



2.2.2 Variable Extensions

Extension	e-Seal Certificate	e-Seal Certificate	Certificate for	Certificate for
	on QSCD		Authentication ²	Encryption
		Key usage		
Non-Repudiation	Х	Х		
Digital Signature			Х	Х
Data			Х	Х
Encipherment				
Key Encipherment			Х	Х
Key Agreement				
	Q	ualified Certificate Sta	tement	
id-etsi-qcs-	Х	Х		
QcCompliance				
id-etsi-qcs-	Х			
QcSSCD				
id-etsi-qcs-	2	2		
QcType ³				
id-etsi-qcs-QcPDS	https://www.skidso	https://www.skidso		
	lutions.eu/resource	lutions.eu/resource		
	s/conditions-for-	s/conditions-for-		
	use-of-certificates/	use-of-certificates/		
id-qcs-	Х	Х		
pkixQCSyntax-v2 ⁴				
		Extended key usag	e	
Client			Х	
Authentication				

NOTE: Depending on the service description in the Estonian Trust List, the id-etsi-qcs-QcCompliance fields can be automatically interpreted as set even without being contained in the certificate if the Key Usage has nonRepudiation bit asserted.

² SK ID Solutions AS takes the right to combine Key Usage values for authentication certificate according to subscriber requirements. Extented Key Usage must contain "Client Authentication".

³ Types according to clause 4.2.3 specified in ETSI EN 319 412-5.

⁴ Semantics identifier "id-etsi-qcs-semanticsId-Legal" is used only when a locally defined identity type reference is provided (GO or NP). Then "nameRegistrationAuthorities" element of Semantics Information shall be present. Used only for C=EE. Detailed specification in clause 5.1.4 of ETSI EN 319 412-1 [8].



2.2.3 Certificate Policy

Profile ⁵	PolicyIdentifier	PolicyQualifier
e-Seal	1.3.6.1.4.1.10015.7.3;	https://www.skidsolutions.eu/resources/certification-
Certificate on	0.4.0.194112.1.3;	practice-statement/
QSCD	1.3.6.1.4.1.10015.9.2	
e-Seal	1.3.6.1.4.1.10015.7.3;	https://www.skidsolutions.eu/resources/certification-
Certificate	0.4.0.194112.1.1;	practice-statement/
	1.3.6.1.4.1.10015.9.1	
Certificate for	1.3.6.1.4.1.10015.7.3;	https://www.skidsolutions.eu/resources/certification-
Encryption	0.4.0.2042.1.1;	practice-statement/
	1.3.6.1.4.1.10015.9.4	
Certificate for	1.3.6.1.4.1.10015.7.3;	https://www.skidsolutions.eu/resources/certification-
Authentication ⁶	0.4.0.2042.1.1;	practice-statement/
	1.3.6.1.4.1.10015.9.3	

OID of the extension: 2.5.29.32. The extension is marked non-critical.

⁵ Certificate profile can be distinguished by policy identifier value. Object identifier 1.3.6.1.4.1. 10015 represents SK ID Solutions, which is private enterprises OID registered under Internet Assigned Numbers Authority (IANA). Certificate profile can be distinguished as follows:

⁻ e-Seal Certificate: 1.3.6.1.4.1.10015.9.1;

⁻ e-Seal Certificate on QSCD: 1.3.6.1.4.1.10015.9.2;

⁻ Certificate for Authentication: 1.3.6.1.4.1.10015.9.3;

⁻ Certificate for Encryption: 1.3.6.1.4.1.10015.9.4

⁶ OID 1.3.6.1.4.1.10015.9.3 is used for all types of authentication certificates.



3 OCSP profile

OCSP v1 according to [RFC 6960] [10]

Field	Mandatory	Value	Description
ResponseStatus	yes	0 for successful or error code	Result of the query
ResponseBytes			
ResponseType	yes	id-pkix-ocsp-basic	Type of the response
BasicOCSPResponse	yes		
tbsResponseData	yes		
Version	yes	1	Version of the response format
responderID	yes	C=EE O=SK ID Solutions AS 2.5.4.97=NTREE-10747013 CN=ORG 2021E OCSP RESPONDER YYYYMM or C=EE O=SK ID Solutions AS 2.5.4.97=NTREE-10747013 CN=ORG 2021R OCSP RESPONDER YYYYMM or C=EE O=SK ID Solutions AS 2.5.4.97=NTREE-10747013 CN=KLASS3-SK 2016 OCSP RESPONDER YYYYMM	Distinguished name of the OCSP responder Note: the Common Name will vary each month and includes the month in YYYYMM format
producedAt	yes		Date when the OCSP response was signed
Responses	yes		
certID	yes		Serial number of the certificate
certStatus	yes		Status of the certificate as follows: good - certificate is issued and has not been revoked revoked - certificate is revoked or not issued by this CA unknown - the issuer of certificate is unrecognized by this OCSP responder
revocationTime	no		Date of revocation for a revoked certificate is the timestamp for revocation time;



			Date of revocation for a non-issued
			certificate is January 1, 1970.
revocationReason	no		Code for revocation Reason according
			to RFC5280
thisUpdate	yes		Date when the status was queried
			from database
Archive Cutoff	yes	CA's certificate "valid from"	Archive CutOff date - the CA's
		date.	certificate "valid from" date.
			Pursuant to RFC 6960 [10] clause 4.4.4
Nonce	no		Value is copied from request if it is
			included. Pursuant to RFC 6960 [10]
			clause 4.4.1.
Extended Revoked	no	NULL	Identification that the semantics of
Definition			certificate status in OCSP response
			conforms to extended definition
			in RFC 6960 [10] clause 2.2
signatureAlgorithm	yes	ecdsaWithSHA256	
		or	
		sha256WithRSAEncryption	
signature	yes		
certificate	yes		Certificate corresponding to the
			private key used to sign the response.

4 Profile of Certificate Revocation List

SK issues CRLs in accordance to the guides of RFC 5280 [3].

CRL profile is applicable only for SK ID Solutions ORG 2021E and SK ID Solutions ORG 2021R.

4.1 CRL main fields

Field	OID	Mandatory	Value	Description
Version		yes	Version 2	CRL format version pursuant to X.509.
Signature	1.2.840.10	yes	ecdsaWithSHA384	CRL signing algorithm pursuant to RFC
Algorithm	045.4.3.3		or	5280
	or		sha384WithRSAEncryption	
	1.2.840.11			
	3549.1.1.1			
	2			
Issuer		yes		Distinguished name of CRL issuer
Distinguished				
Name				
Common Name	2.5.4.3	yes	SK ID Solutions ORG 2021E	Name of certification authority
(CN)			or	
			SK ID Solutions ORG 2021R	
Organisation (O)	2.5.4.10	yes	SK ID Solutions AS	Organisation
Organisation Identifier	2.5.4.97	yes	NTREE-10747013	
Country (C)	2.5.4.6	yes	EE	Country code: EE – Estonia (2-
				character ISO 3166 country code)
Last Update		yes		Date and time of CRL issuance.
Next Update		yes		Date and time of issuance of the next
				CRL. The conditions are described in
				CPS clause 4.9.7 [1].
Revoked		yes		List of revoked certificates.
Certificates				
Serial Number		yes		Serial number of the certificate
				revoked.
Revocation Date		yes		Date and time of revocation of the
				certificate.
Reason Code	2.5.29.21	yes		Reason code for certificate revocation.
Signature		yes		Confirmation signature of the
				authority issued the CRL.



4.2 CRL extensions

Field	OID	Values and limitations	Criticality
CRL Number	2.5.29.20	CRL sequence number	Non-critical
Authority Key	2.5.29.35	Matching the subject key identifier of	Non-critical
Identifier		the certificate	

On the field "authorityKeyIdentifier" is SHA-1 hash of the public key corresponding to the private key.



5 Referred and related Documents

- [1] SK ID Solutions AS Certification Practice Statement for Organisation Certificates, published: https://www.skidsolutions.eu/resources/certification-practice-statement/
- [2] SK ID Solutions AS Certificate Policy for Organisation Certificates, published: <u>https://www.skidsolutions.eu/resources/certificate-policies/;</u>
- [3] RFC 5280 Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile;
- [4] RFC 3647 Request For Comments 2527, Internet X.509 Public Key Infrastructure, Certificate Policy and Certification Practices Framework;
- [5] RFC 4055 Additional Algorithms and Identifiers for RSA Cryptography for use in the Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile;
- [6] RFC 5480 Elliptic Curve Cryptography Subject Public Key Information;
- [7] FIPS PUB 186-4 Federal Information Processing Standards Publication; Digital Signature Standard (DSS);
- [8] ETSI EN 319 412-1 v1.5.1 Electronic Signatures and Infrastructures (ESI); Certificate Profiles; Part 1: Overview and common data structures;
- [9] ETSI EN 319 412-5 v2.4.1 Electronic Signatures and Infrastructures (ESI); Certificate Profiles; Part 5: QCStatements;
- [10] RFC 6960 X.509 Internet Public Key Infrastructure Online Certificate Status Protocol OCSP;
- [11] ETSI EN 319 411-1 v1.4.1 Electronic Signatures and Infrastructures (ESI); Policy and security requirements for Trust Service Providers issuing certificates; Part 1: General requirements;
- [12] ISO 3166 Country Codes;
- [13] RFC 3279 Algorithms and Identifiers for the Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile.
- [14] ETSI EN 319 412-3 v1.3.1 Electronic Signatures and Infrastructures (ESI); Certificate Profiles; Part 3: Certificate profile for certificates issued to legal persons
- [15] European Product Registry for Energy Labelling (EPREL) GUIDELINE published: https://commission.europa.eu/system/files/2022-11/suppliers verification guide.pdf