

SK ID Solutions AS - ESTEID-SK Certification Practice Statement

Please note: Current CPS is partly invalid in the extent of practices related to ID card and Digi-ID, and is only relevant for lifecycle management of Certificates for Mobile ID of the Republic of Estonia issued until 1st, 2022 (incl.). Please see change log entries for detailed information.

Document Information	
Name	ESTEID-SK Certification Practice Statement
Version No	14.0
Version History	
Date and Version No	Changes
16.04.2026 14.0	<ul style="list-style-type: none"> Regular review and update of references performed; Clause 1.5.4 – Updated CPS approval procedure; Clause 5.9 – Added clause for Supply Chain.
02.04.2025 13.0	<ul style="list-style-type: none"> Please note: Due to expiry of last ID cards (issued under CP with OID: 1.3.6.1.4.1.10015.1.1) and Digi-IDs (issued under CP with OID: 1.3.6.1.4.1.10015.1.2) on 30.11.2023, this CPS is partly invalid in the extent of practices related to ID card and Digi-ID; Regular review; Clause 1.1 – Introduced new SK root CAs SK ID Solutions ROOT G1E and SK ID Solutions ROOT G1R; Clauses 1.3.2.2.2, 9.6.2.2.5 – Removed role ‘SK Customer Service Point’; Clauses 1.3.2.3, 9.6.1.2, 9.6.3.2 – Removed remnants of Mobile-ID Certificate suspension; Clause 1.5.4 – Removed Trüb Baltic AS from coordination of CPS approval; Clause 4.9.3.2 - Removed option for Mobile-ID certificate revocation via PBGB web application; Clause 9.1.2 – Clarified location for Certificate access.
15.04.2024 12.0	<ul style="list-style-type: none"> Regular review and update of references performed; Clauses 4.9.3.2, 4.9.15.2, 4.9.18.2, 4.9.19.2 - Removed option for Certificate Suspension and Termination of Suspension; Clause 4.9.9 – Reflected practice that OCSF provides certificate status information beyond the validity of the certificates.
02.07.2022 11.0	<ul style="list-style-type: none"> Please note: Certificates for Mobile ID of the Republic of Estonia were issued until July 1st, 2022 (incl.). Servicing of the Certificates is carried out until their expiry or revocation of last valid Certificate. Removed reference to ESTEID-SK 2011 from the CPS due to Certificate has been revoked because of reaching the end of lifecycle. Clause 6.1.7 – removed irrelevant reference to SK PS.

<p>27.05.2021 10.0</p>	<ul style="list-style-type: none"> • Clause 1.3.2.2.1, 4.9.19.2, 9.6.2.2.4 - Removed option that MO Customer Service Point accepts application of termination of suspension of Mobile ID Certificates. • Clause 1.5.2, 1.5.4 - Replaced business development manager with head of trust services. • Clause 1.6.1, 10. - Removed references to Digidoc Services due to service decommission. • Clause 4.1.2.3 – Specified conditions for usage of exceptional issuance process. • Clause 4.9.9 – Specified that OCSP responses for the Certificates issued by ESTEID-SK 2011 and ESTEID-SK 2015 are signed by OCSP signer certificates. • Clause 4.9.15.2, 4.9.19.2 – Specified circumstances, when MO can request suspension and termination of suspension of Mobile ID Certificates. • Clause 9.11 - Added sending of individual notices to the Subscriber's contact email address in the Certificate application. • Clause 9.15 - Replaced PDPA compliance requirement with GDPR.
<p>15.08.2020 9.0</p>	<ul style="list-style-type: none"> • Clause 3.2.3.2 - Changed identity verification process for MO, added description of Authentication of the Subscriber electronically. • Clause 4.1.2.3 - Defined Mobile ID issuance process with electronic identification by MO and additional temporary issuance process for the emergency situation. • Clause 1.6.1, 4.4.2.2, 4.9.15.1, 4.9.15.2, 4.9.19.2, 9.1.2,9.1.3 - Replaced DigiDocService with Mobile ID Service Integration API. • Clause 10 - added reference to Mobile ID REST API. • SK URL-s and e-mail addresses are corrected and updated through the CPS.
<p>10.04.2020 8.0</p>	<ul style="list-style-type: none"> • Clause 1.3.5.1 - added that Trüb Baltic AS is no longer responsible for providing the services. • Clause 1.5.4 - added that SK performs annual review of this CPS. • Clause 4.1.2.3 - specified that the Subscriber signs Mobile-ID agreement with MO with their handwritten signature.
<p>03.07.2019 7.0</p>	<ul style="list-style-type: none"> • Please note: Certificate re-key to extend the validity of the digital identity document and of the e-residence card was performed according to the current Certification Practice Statement until 30. April 2019. The provisions that describe the practice and procedures for validity extension, such as provisions on Certificate Re-Key for validity extension are no longer applicable. However, the respective provisions have been left in this Practice Statement to facilitate understanding how validity extension of the digital identity document and of the e-residence card was performed. • Clause 1.3.2.2.1 - specified that MO Customer Service Point also accepts applications from Subscribers for termination of suspension of Mobile ID Certificates.

01.05.2019 6.0	<ul style="list-style-type: none">• Please note: Qualified Electronic Signature and Authentication Certificates for Estonian personal identification document, the residence permit card, digital identity document and the e-residence card were issued according to the current Certification Practice Statement until December 2018. The provisions that describe practice and procedures for issuance of the Certificates for these identity documents, such as provisions on identification, certificate application and key pair generation and installation are no longer applicable. However, the provisions on the issuance of Qualified Electronic Signature and Authentication Certificates have been left in this document to facilitate understanding how issuance of the Certificates for Estonian personal identification document, the residence permit card, digital identity document and the e-residence card was performed.• Certificate re-key to extend the validity of the digital identity document and of the e-residence card is continually carried out in accordance with the relevant provisions of the current Practice Statement. Certificate re-key for validity extension is performed until the validity of all the relevant documents have been extended.• Referred amendments do not in any way affect issuance of Qualified Electronic Signature and Authentication Certificates for Mobile ID. The Certificates for Mobile ID are continually issued according to the relevant provisions of this Certification Practice Statement.• The Certificates of all of the aforementioned Estonian identity documents are continually served in accordance with the current document. Hence, the provisions on Certificate's suspension, termination of suspension and revocation continue to apply. The Certificates are served in accordance with the Certification Practice Statement until the validity of the last Certificate pair issued under this document.• The provisions on the issuance of replacement PIN-codes for Estonian personal identification document, the residence permit card and digital identity document continue to apply. Replacement PIN-codes are issued under this Practice Statement until all the remaining envelopes containing PIN-codes have been used up.• Added description on ESTEID service.• Clause 1.6.1 - Specified the definition of Private Key.• Due to terminating service of ID card and Digi-ID Certificates and issuance of replacement PIN-codes in SK Customer Service Point, clauses 1.3.2.1.1, 1.3.2.1.2, 4.9.3.1, 4.9.15.1, 4.9.19.1, 9.1.4 and 9.6.2.1.2 have been amended accordingly.• As issuance of new Digi-ID under this Certification Practice Statement is terminated as of December 2018, specified in clause 4.7.3.1 that new Digi-ID can be applied in accordance with clause 4.1.2.2 of "SK ID Solutions AS - ESTEID2018 Certification Practice Statement" [17].• As Certificates are published in a new Directory Service at <code>ldaps://esteid.ldap.sk.ee</code>, clauses 4.4.2 and 9.1.2 of this CPS have been amended accordingly.• Clause 6.1.1.2 - Specified that the chip of the Digi-ID onto the Subscriber Private Keys are loaded, is a QSCD.• Clause 6.1.2 - Specified that the Subscriber Private Keys are delivered on the QSCD.
-------------------	---

<p>01.11.2018 5.0</p>	<ul style="list-style-type: none"> • Clause 1.1 - Added new certificate chain and updated figure of PKI hierarchy. • Clause 1.3.2.3 - Specified the tasks of the Help Line and added new contact details of customer user support for ID card, Digi-ID and Mobile ID usage. • Clause 1.6.1 - Specified definition for CRL. • Clause 2.2.1 – Added statement that SK provides the capability to allow third parties to check and test Certificates it issues, and that test Certificates clearly indicate that they are for testing purposes. • Clause 4.1.2 - Specified data included in the Subscriber's application for ID card, Digi-ID and Mobile ID. • Added clause 4.1.3 to state how SK verifies QSCD status of the devices. • Added that Certificate re-key is performed to extend the validity of Digi-ID. Therefore, clauses 4.7.1.1, 4.7.2.1, 4.7.3.1 and 4.7.4.1 of this CPS have been amended accordingly. • Clause 4.9.7 – Added statement that CRL is signed by ESTEID-SK 2011 and ESTEID-SK 2015. • Clause 4.9.9 - Added that OCSP contains Certificate status information until the Certificate expires. • Chapter 6 - Specified that the current document describes solely the Subscriber's key pair generation and management. • Clause 9.6.3 - Specified the Subscriber's obligations.
<p>01.04.2018 4.0</p>	<ul style="list-style-type: none"> • Clause 1.1 - Updated certificate chain with Certificate Policy for Mobile-ID of Lithuania. • Clause 4.9.11 - Added how revocation status information of the expired Certificate can be requested. • Therefore, clauses 4.9.2 and 4.9.3 have been amended accordingly. • Clause 9.6.1 - Added statements on how SK contributes to making its services accessible to people with disabilities. • Clause 9.6.2 - Added statements on how RAs assist with making certification services accessible to people with disabilities.
<p>01.11.2017 3.0</p>	<ul style="list-style-type: none"> • Clauses 4.9.15.1, 4.9.15.2 - Added procedure for request of suspension by competent authority. • Clause 4.9.15.2 - Specified that if suspension is requested by the Subscriber, it applies to Certificate Pairs only. • Clauses 4.9.19.1 and 4.9.19.2 - Added procedure for request of termination of suspension by competent authority. • Clause 4.9.19.2 - Specified that if termination of suspension is requested by the Subscriber, it applies to Certificate pairs only.

<p>24.10.2017 2.0</p>	<ul style="list-style-type: none"> • Due to change of SK's business name from AS Sertifitseerimiskeskus to SK ID Solutions AS, name of the CPS has been changed accordingly. Also, former business name has been replaced with the new one in clauses 1, 1.1, 1.2, 1.5.1 and 1.6.2 of this CPS. • Clause 1 - Removed paragraph which stated that the CPS is a complete redesign of the previous AS Sertifitseerimiskeskus - Certification Practice Statement, ESTEID Card Certification Policy and AS Sertifitseerimiskeskus - Certification Policy of the digital identity card in form of the Mobile-ID. • Clause 1.1 - Added that SK always ensures compliance with the latest versions of the applicable ETSI standards; updated the figure of certificate chain. • Clauses 1.1, 1.3.1, 1.3.2.1, 1.3.2.2, 1.3.5.2 and 1.6.1 - Lingual corrections. • Clause 1.6.2 - Added new acronyms and minor changes. • Clause 3.1.1 - Left out the value O = ESTEID (MOBIIL-ID E-RESIDENT) as Mobile ID is not issued for E-residents. • Added the possibility for the Subscriber to apply for Mobile ID Certificates at PBGB. Therefore, clauses 3.2.3.2, 4.1.2.3 and 4.2.1.2 of this CPS have been amended accordingly. • Amended the procedure of Certificate re-key for Mobile ID with the possibility for the Subscriber to sign an agreement with MO either with a Qualified Electronic Signature or handwritten signature. Therefore, clauses 4.7.3.2 and 9.6.2.2.4 of this CPS have been amended accordingly. • Clauses 4.7.1.1, 4.7.2.1, 4.7.4.1 and 9.6.2.1.1 - Replaced SHA-1 signatures with changeover to stronger cryptography. • Clause 6.1.5 - Added new key size of ECC algorithm. • Clause 9.6.1.2 - Added that SK is obligated to verify validity of the QSCD to be replaced and previously issued Certificates. • Clause 9.6.3.2 - Added that the Subscriber is obligated to confirm to MO that the QSCD to be replaced has been issued to him/her.
<p>1.11.2016 1.0</p>	<ul style="list-style-type: none"> • First public edition.
<p>Effective from date</p>	<p>16.04.2026</p>

1.	Introduction	12
1.1.	Overview	12
1.2.	Document Name and Identification	13
1.3.	PKI Participants	13
1.3.1.	Certification Authorities	13
1.3.2.	Registration Authorities	13
1.3.3.	Subscribers	14
1.3.4.	Relying Parties	14
1.3.5.	Other Participants	15
1.4.	Certificate Usage	15
1.4.1.	Appropriate Certificate Uses	15
1.5.	Policy Administration	15
1.5.1.	Organization Administering the Document.....	15
1.5.2.	Contact Person	15
1.5.3.	Person Determining CPS Suitability for the Policy.....	16
1.5.4.	CPS Approval Procedures	16
1.6.	Definitions and Acronyms	16
1.6.1.	Terminology.....	16
1.6.2.	Acronyms.....	18
2.	Publication and Repository Responsibilities	20
2.1.	Repositories	20
2.2.	Publication of Certification Information	20
2.2.1.	Publication and Notification Policies	20
2.2.2.	Items not Published in the Certification Practice Statement	20
2.3.	Time or Frequency of Publication	20
2.3.1.	Directory Service	20
2.4.	Access Controls on Repositories	20
3.	Identification and Authentication	21
3.1.	Naming	21
3.1.1.	Type of Names	21
3.1.2.	Need for Names to be Meaningful	21
3.1.3.	Anonymity or Pseudonymity of Subscribers	21
3.1.4.	Rules for Interpreting Various Name Forms.....	21
3.1.5.	Uniqueness of Names.....	21
3.1.6.	Recognition, Authentication, and Role of Trademarks	21
3.2.	Initial Identity Validation.....	21
3.2.1.	Method to Prove Possession of Private Key.....	21

3.2.2.	Authentication of Organization Identity.....	21
3.2.3.	Authentication of Individual Identity	22
3.2.4.	Non-Verified Subscriber Information	22
3.2.5.	Validation of Authority	22
3.2.6.	Criteria for Interoperation.....	22
3.3.	Identification and Authentication for Re-Key Requests.....	22
3.3.1.	Identification and Authentication for Routine Re-Key	22
3.3.2.	Identification and Authentication for Re-Key After Revocation.....	22
3.4.	Identification and Authentication for Revocation Request	23
4.	Certificate Life-Cycle Operational Requirements	24
4.1.	Certificate Application.....	24
4.1.1.	Who Can Submit a Certificate Application	24
4.1.2.	Enrolment Process and Responsibilities	24
4.1.3.	Annual Control of QSCD	26
4.2.	Certificate Application Processing.....	26
4.2.1.	Performing Identification and Authentication Functions.....	26
4.2.2.	Approval or Rejection of Certificate Applications	26
4.2.3.	Time to Process Certificate Applications	27
4.3.	Certificate Issuance	27
4.3.1.	CA Actions During Certificate Issuance.....	27
4.3.2.	Notifications to Subscriber by the CA of Issuance of Certificate	27
4.4.	Certificate Acceptance	27
4.4.1.	Conduct Constituting Certificate Acceptance	27
4.4.2.	Publication of the Certificate by the CA	28
4.4.3.	Notification of Certificate Issuance by the CA to Other Entities	28
4.5.	Key Pair and Certificate Usage	28
4.5.1.	Subscriber Private Key and Certificate Usage	28
4.5.2.	Relying Party Public Key and Certificate Usage	28
4.6.	Certificate Renewal.....	29
4.7.	Certificate Re-Key.....	29
4.7.1.	Circumstances for Certificate Re-Key	29
4.7.2.	Who May Request Certification of a New Public Key.....	29
4.7.3.	Processing Certificate Re-Keying Requests	30
4.7.4.	Notification of New Certificate Issuance to Subscriber.....	31
4.7.5.	Conduct Constituting Acceptance of a Re-Keyed Certificate	31
4.7.6.	Publication of the Re-Keyed Certificate by the CA	32
4.7.7.	Notification of Certificate Issuance by the CA to Other Entities	32

4.8.	Certificate Modification	32
4.8.1.	Circumstances for Certificate Modification	32
4.8.2.	Who May Request Certificate Modification	33
4.8.3.	Processing Certificate Modification Requests	33
4.8.4.	Notification of New Certificate Issuance to Subscriber	33
4.8.5.	Conduct Constituting Acceptance of Modified Certificate	33
4.8.6.	Publication of the Modified Certificate by the CA	33
4.8.7.	Notification of Certificate Issuance by the CA to Other Entities	33
4.9.	Certificate Revocation and Suspension	33
4.9.1.	Circumstances for Revocation	33
4.9.2.	Who Can Request Revocation	33
4.9.3.	Procedure for Revocation Request	34
4.9.4.	Revocation Request Grace Period	35
4.9.5.	Time Within Which CA Must Process the Revocation Request	36
4.9.6.	Revocation Checking Requirements for Relying Parties	36
4.9.7.	CRL Issuance Frequency	36
4.9.8.	Maximum Latency for CRLs	36
4.9.9.	On-Line Revocation/Status Checking Availability	36
4.9.10.	On-Line Revocation Checking Requirements	36
4.9.11.	Other Forms of Revocation Advertisements Available	36
4.9.12.	Special Requirements Related to Key Compromise	36
4.9.13.	Circumstances for Suspension	36
4.9.14.	Who Can Request Suspension	36
4.9.15.	Procedure for Suspension Request	37
4.9.16.	Limits on Suspension Period	37
4.9.17.	Circumstances for Termination of Suspension	37
4.9.18.	Who Can Request Termination of Suspension	38
4.9.19.	Procedure for Termination of Suspension	38
4.10.	Certificate Status Services	39
4.10.1.	Operational Characteristics	39
4.10.2.	Service Availability	39
4.10.3.	Operational Features	39
4.11.	End of Subscription	39
4.12.	Key Escrow and Recovery	39
4.12.1.	Key Escrow and Recovery Policy and Practices	39
4.12.2.	Session Key Encapsulation and Recovery Policy and Practices	39
5.	Facility, Management, and Operational Controls	40

5.1.	Physical Controls	40
5.2.	Procedural Controls	40
5.3.	Personnel Controls	40
5.4.	Audit Logging Procedures	40
5.5.	Records Archival.....	40
5.5.1.	Types of Records Archived	40
5.5.2.	Retention Period for Archive	40
5.5.3.	Protection of Archive.....	40
5.5.4.	Archive Backup Procedures.....	40
5.5.5.	Requirements for Time-Stamping of Records	40
5.5.6.	Archive Collection System (Internal or External).....	40
5.5.7.	Procedures to Obtain and Verify Archive Information	40
5.6.	Key Changeover	40
5.7.	Compromise and Disaster Recovery	41
5.8.	CA or RA Termination.....	41
5.9.	Supply Chain.....	41
6.	Technical Security Controls	42
6.1.	Key Pair Generation and Installation	42
6.1.1.	Key Pair Generation.....	42
6.1.2.	Private Key Delivery to Subscriber	42
6.1.3.	Public Key Delivery to Certificate Issuer	42
6.1.4.	CA Public Key Delivery to Relying Parties	43
6.1.5.	Key Sizes	43
6.1.6.	Public Key Parameters Generation and Quality Checking	43
6.1.7.	Key Usage Purposes (as per X.509 v3 Key Usage Field).....	43
6.2.	Private Key Protection and Cryptographic Module Engineering Controls	43
6.2.1.	Cryptographic Module Standards and Controls	43
6.2.2.	Private Key (n out of m) Multi-Person Control.....	43
6.2.3.	Private Key Escrow	43
6.2.4.	Private Key Backup	43
6.2.5.	Private Key Archival.....	43
6.2.6.	Private Key Transfer Into or From a Cryptographic Module	43
6.2.7.	Private Key Storage on Cryptographic Module	44
6.2.8.	Method of Activating Private Key.....	44
6.2.9.	Method of Deactivating Private Key.....	44
6.2.10.	Method of Destroying Private Key	44
6.2.11.	Cryptographic Module Rating	44

6.3.	Other Aspects of Key Pair Management	44
6.3.1.	Public Key Archival	45
6.3.2.	Certificate Operational Periods and Key Pair Usage Periods	45
6.4.	Activation Data.....	45
6.4.1.	Activation Data Generation and Installation	45
6.4.2.	Activation Data Protection	45
6.4.3.	Other Aspects of Activation Data	45
6.5.	Computer Security Controls.....	45
6.5.1.	Specific Computer Security Technical Requirements.....	45
6.5.2.	Computer Security Rating.....	46
6.6.	Life Cycle Technical Controls.....	46
6.7.	Network Security Controls	46
6.8.	Time-Stamping	46
7.	Certificate, CRL, and OCSP Profiles	47
7.1.	Certificate Profile	47
7.2.	CRL Profile	47
7.3.	OCSP Profile	47
8.	Compliance Audit and Other Assessments.....	48
9.	Other Business and Legal Matters	49
9.1.	Fees	49
9.1.1.	Certificate Issuance or Renewal Fees	49
9.1.2.	Certificate Access Fees	49
9.1.3.	Revocation or Status Information Access Fees	49
9.1.4.	Fees for Other Services.....	49
9.1.5.	Refund Policy	49
9.2.	Financial Responsibility	50
9.2.1.	Insurance Coverage	50
9.2.2.	Other Assets	50
9.2.3.	Insurance or Warranty Coverage for End-Entities.....	50
9.3.	Confidentiality of Business Information.....	50
9.4.	Privacy of Personal Information.....	50
9.5.	Intellectual Property rights	50
9.6.	Representations and Warranties	50
9.6.1.	CA Representations and Warranties	50
9.6.2.	RA Representations and Warranties	51
9.6.3.	Subscriber Representations and Warranties.....	53
9.6.4.	Relying Party Representations and Warranties.....	54

9.6.5.	Representations and Warranties of Other Participants	55
9.7.	Disclaimers of Warranties	55
9.8.	Limitations of Liability	55
9.9.	Indemnities	55
9.10.	Term and Termination	55
9.10.1.	Term	55
9.10.2.	Termination	55
9.10.3.	Effect of Termination and Survival	55
9.11.	Individual Notices and Communications with Participants.....	55
9.12.	Amendments.....	56
9.12.1.	Procedure for Amendment	56
9.12.2.	Notification Mechanism and Period.....	56
9.12.3.	Circumstances Under Which OID Must be Changed	56
9.13.	Dispute Resolution Provisions.....	56
9.14.	Governing Law	56
9.15.	Compliance with Applicable Law	56
9.16.	Miscellaneous Provisions	56
9.16.1.	Entire Agreement	56
9.16.2.	Assignment	56
9.16.3.	Severability	56
9.16.4.	Enforcement (Attorney's Fees and Waiver of Rights)	56
9.16.5.	Force Majeure	57
9.17.	Other Provisions.....	57
10.	References.....	58

1. Introduction

SK ID Solutions AS was founded on March 26th 2001. The owners of the limited liability company are AS Swedbank, AS SEB Pank and Telia Eesti AS. The principal activities of SK are offering trust services and related technical solutions in the Baltic region. These services guarantee secure and verified electronic communication with public institutions as well as businesses in everyday life.

Inspired by the ETSI EN 319 400 series, SK has divided its documentation into three parts:

- "[SK Trust Services Practice Statement](#)" [2] describes general practices common to all trust services;
- Certification Practice Statements and Time-Stamping Practice Statements describe parts that are specific to each Subordinate CA or Time-Stamping Unit;
- Technical Profiles are in separate documents.

Pursuant to the [IETF RFC 3647](#) [1] this CPS is divided into nine parts. To preserve the outline specified by [IETF RFC 3647](#) [1], section headings that do not apply have the statement "**Not applicable**". References to [SK PS](#) [2] and the "[Certificate, CRL and OCSP Profile for the personal identification documents of the Republic of Estonia](#)" [3] (hereinafter referred to as Certificate Profile) documents are included where applicable.

1.1. Overview

This CPS describes the practices used to comply with "[SK ID Solutions AS - Certificate Policy for ID card](#)" [4] (hereinafter referred to as CP), "[SK ID Solutions AS - Certificate Policy for Digi-ID](#)" [5] (hereinafter referred to as CP for Digi-ID) and "[SK ID Solutions AS - Certificate Policy for Mobile ID of the Republic of Estonia](#)" [6] (hereinafter referred to as CP for Mobile ID).

These policies are compliant with [ETSI EN 319 411-2 Policy: QCP-n-qscd](#) [7] and [ETSI EN 319 411-1 Policy: NCP+](#) [8].

SK always ensures compliance with the latest versions of the referred documents.

SK is currently using following certificate chains:

- EE Certification Centre Root CA, valid 2010-2030;
- EE-GovCA2018, valid 2018-2033;
- SK ID Solutions ROOT G1E, valid 2021-2041;
- SK ID Solutions ROOT G1R, valid 2021-2041.

The Root CA certificates and other certificates necessary for PKI operations are available from SK's website at <https://www.skidsolutions.eu/resources/certificates/>.

The relations between EE Certification Centre Root CA, EE-GovCA2018, SK ID Solutions ROOT G1E, SK ID Solutions ROOT G1R and their subordinate CAs are described on the SK's website at <https://www.skidsolutions.eu/resources/certification-hierarchy/>.

This CPS covers operation of ESTEID-SK 2015.

The certification service for Qualified Electronic Signature Certificate for personal identification document as well as for the residence permit card (hereinafter referred together as ID card), the digital identity document as well as for the e-residence card (hereinafter referred together as Digi-ID) and Mobile ID described in this CPS has qualified status in the Trusted List of Estonia.

In case of conflicts the documents are considered in the following order (prevailing ones first):

- QCP-n-qscd;
- NCP+;
- [CP](#) [4] or [CP for Digi-ID](#) [5] or [CP for Mobile-ID](#) [6];
- This CPS.

Certificates for Mobile ID of the Republic of Estonia were issued until July 1st, 2022 (incl.). Servicing of the Certificates is carried out until their expiry or revocation of last valid Certificate.

1.2. Document Name and Identification

This document is called “SK ID Solutions AS – ESTEID-SK Certification Practice Statement.”

1.3. PKI Participants

1.3.1. Certification Authorities

SK operates as a Certificate Authority that issues Certificates for the ID card, Digi-ID and Mobile ID.

In case of ID card and Digi-ID, SK acts as a subcontractor of Trüb Baltic AS. There is a contract signed between Trüb Baltic AS and PBGB covering production, personalisation of the ID card and Digi-ID as well as issuance and servicing of the Certificates.

In case of Mobile ID, SK provides the certification service under a contract signed between PBGB and SK.

The certification service provided by SK includes by default all the procedures related to the life cycle of the pairs of keys and Certificates, which are described in this CPS.

The Certificates are issued by the intermediate CA ESTEID-SK 2015 (serial number (HEX) 45 48 09 0B 87 9C EF 21 56 72 AC D3 DE 6C 1B 5B) that is available from SK's website at <https://www.skidsolutions.eu/resources/certificates/>.

1.3.2. Registration Authorities

1.3.2.1. ID card and Digi-ID

The RA-s are laid down in Chapter 3 of the [IDA \[9\]](#).

PBGB and Ministry of Foreign Affairs can appear in multiple roles throughout the process. Throughout the rest of this CPS a following distinction is made based on the role:

- both institutions are referred to as RA when they are performing technical actions such as face to face authentication or delivery of the ID card or Digi-ID;
- they are referred together as PBGB when they are representing Republic of Estonia in the role of Document Issuer according to [IDA \[9\]](#), e.g. during initial identification of persons or making decisions about their eligibility to apply for an ID card or Digi-ID.

PBGB may be contacted at:

Pärnu mnt. 139, 15060 Tallinn

E-mail: ppa@politsei.ee

<https://www.politsei.ee/en/>

Ministry of Foreign Affairs can be contacted through its embassies and representations that can be checked at Ministry of Foreign Affairs website <https://www.vm.ee/en/consular-visa-and-travel-information/estonian-representations-around-world>.

1.3.2.1.1. PBGB Customer Service Point

Accepting applications and issuance of ID card and Digi-ID is carried out in PBGB offices and embassies of the Republic of Estonia (hereinafter referred to as PBGB Customer Service Point).

Servicing Certificates of ID card and Digi-ID (suspensions, terminations of suspension, revocations and designations of the replacement of PIN envelopes) is carried out in PBGB Customer Service Points.

The exchange of Certificates of ID card and Digi-ID is carried out in PBGB Customer Service Points or using an application located in public data network.

The list and operating hours of PBGB Customer Service Points can be checked on the following websites:

- <https://www.politsei.ee/en/services/services>
- <https://www.vm.ee/en/consular-visa-and-travel-information/estonian-representations-around-world>
- <https://www.skidsolutions.eu/contact/>

1.3.2.2. Mobile ID

PBGB and MO can appear in multiple roles throughout the process. Throughout the rest of this CPS a following distinction is made based on the role:

- PBGB and MO are together referred to as RA when they are performing technical actions that are not specific to any particular organisation – e.g. Subscriber Authentication;
- PBGB and MO are explicitly referred to by their corresponding names, when they are performing actions specific to a particular type of organisation – e.g. issuing QSCD to the Subscriber or charging the state fee or PBGB when it is representing Republic of Estonia in the role of Document Issuer according to [IDA \[9\]](#), e.g. during initial identification of persons or making decisions about their eligibility to apply for Mobile ID.

PBGB may be contacted at:

Pärnu mnt. 139, 15060 Tallinn

E-mail: ppa@politsei.ee

<https://www.politsei.ee/en/>

The contact details of MO can be checked on the website of SK <http://www.skidsolutions.eu>

For issuance of the QSCD there are contracts signed between SK and MO. SK has contractually delegated the responsibilities described in clause 1.3.2.2.1 to MO.

1.3.2.2.1. MO Customer Service Point

Issuance and servicing of QSCD-s, forwarding the request for Mobile ID Certificates in case of replacement of QSCD (Certificate re-key), servicing of Mobile ID Certificates and change of the mobile telephone number takes place in authorised MO Customer Service Points.

MO Customer Service Point accepts applications from Subscribers for revocation of Mobile ID Certificates. Before accepting an application for revocation, MO Customer Service Point verifies the Subscriber's identity according to its internal identification procedure.

The list and contact details of MO Customer Service Point can be checked on SK's website <https://www.skidsolutions.eu/contact/> and MO.

1.3.2.3. Help Line

The Help Line accepts applications for suspension of Certificates of ID card and Digi-ID from Subscribers and other parties.

Information on the Help Line and its contact details is available on SK's website <https://www.skidsolutions.eu/contact/>.

The Help Line may be contacted at 1777 or (+ 372) 677 3377.

ID-software user support for solving problems related to ID card, Digi-ID and Mobile ID usage can be requested at (+ 372) 666 8888.

1.3.3. Subscribers

Refer to clause 1.3. of the [CP \[4\]](#), [CP for Digi-ID \[8\]](#) and [CP for Mobile-ID \[9\]](#).

1.3.4. Relying Parties

A Relying Party is a natural or legal person who takes a decision relying on the Certificate issued by SK.

1.3.5. Other Participants

1.3.5.1. ID card and Digi-ID

Trüb Baltic AS:

- accepts ID card orders;
- produces ID card and Digi-ID blanks;
- personalises ID cards based on the orders sent by PBGB;
- generates the keys on the card for ID card and requests the corresponding Certificates;
- loads the Certificates to ID card;
- delivers personalised ID cards to PBGB;
- delivers Digi-ID blanks to PBGB;
- provides technical environment for personalisation of Digi-ID in RA office;
- produces replacement PIN-envelopes for ID card and Digi-ID.

Please note: Trüb Baltic AS is no longer responsible for providing the services listed herein as the agreement between Trüb Baltic AS and PBGB covering production, personalisation of ID card and Digi-ID as well as issuance and servicing of the Certificates has terminated.

1.3.5.2. Mobile ID

SCM:

- produces QSCD-s, generates key pairs and loads them on a QSCD.

MO:

- associates the Subscriber to specific QSCD and issues QSCD to the Subscriber.

Mobile-ID Service Provider:

- operates Mobile ID Service Integration API that enables Mobile ID usage.

1.4. Certificate Usage

1.4.1. Appropriate Certificate Uses

Refer to clause 1.4 of the [CP \[4\]](#), [CP for Digi-ID \[5\]](#) and [CP for Mobile-ID \[6\]](#).

1.5. Policy Administration

1.5.1. Organization Administering the Document

This CPS is administered by SK.

SK ID Solutions AS

Registry code 10747013

Pärnu Ave 141, 11314 Tallinn

Tel +372 610 1880

Email: info@skidsolutions.eu

<http://www.skidsolutions.eu/>

1.5.2. Contact Person

Head of eID and Trust Services

Email: info@skidsolutions.eu

1.5.3. Person Determining CPS Suitability for the Policy

Not applicable.

1.5.4. CPS Approval Procedures

Amendments which do not change the meaning of this CPS, such as spelling corrections, translation activities and contact details updates are documented in the Versions and Changes section of the present document. In this case the fractional part of the document version number is enlarged.

In case the [CP \[4\]](#) and/or [CP for Digi-ID \[5\]](#) and/or [CP for Mobile ID \[6\]](#) are amended, the CPS is reviewed as well in order to verify the need for its amendments.

In case of substantial changes, the new CPS version is clearly distinguishable from the previous ones and the serial number is enlarged by one. The amended CPS along with the enforcement date, which cannot be earlier than 30 days after publication, is published electronically on SK website.

All amendments to this CPS regarding ID card and/or Digi-ID are coordinated with PBGB.

All amendments to this CPS regarding Mobile ID are coordinated with PBGB and MO.

SK performs annual review of this CPS to ensure compliance of the present document and services provided based on this CPS with the applicable requirements.

All amendments are approved by the head of eID and Trust Services and amended CPS is enforced by the CEO (Chief Executive Officer) or COO (Chief Operating Officer).

1.6. Definitions and Acronyms

1.6.1. Terminology

In this CPS the following terms have the following meaning.

Term	Definition
Authentication	Unique identification of a person by checking his/her alleged identity.
Certificate	Public Key, together with additional information, laid down in the Certificate Profile [3] , rendered unforgeable via encipherment using the Private Key of the Certificate Authority which issued it.
Certificate Authority	A part of SK structure responsible for issuing and verifying electronic Certificates and Certificate Revocation Lists with its electronic signature.
Certificate Pair	A pair of Certificates consisting of one Authentication Certificate and one Qualified Electronic Signature Certificate.
Certificate Policy	A set of rules that indicates applicability of a specific Certificate to a particular community and/or PKI implementation with common security requirements.
Certification Practice Statement	One of the several documents that all together form the governance framework in which Certificates are created, issued, managed, and used.
Certificate Profile	Document that determines the information contained within a Certificate as well as the minimal requirements towards the Certificate.
Certificate Revocation List	A list of invalid (revoked, suspended) Certificates. CRL contains suspended and revoked Certificates during their validity period, i.e. until they expire.

Term	Definition
Certification Service	Trust service related to issuing Certificates, managing suspension, termination of suspension, revocation, modification and re-key of the Certificates.
Qualified Certificate	A certificate for electronic signatures, that is issued by the qualified trust service provider and meets the requirements laid down in Annex I of the eIDAS Regulation [10].
Qualified Electronic Signature	Advanced electronic signature that is created by a qualified electronic signature creation device, and which is based on a Qualified Certificate for electronic signatures.
Directory Service	Trust service related to publication of Certificate validity information.
Mobile ID Service Integration API	MID REST API [18] that can be used to add Mobile-ID authentication, digital signing and pulling Subscriber certificate functionality to an e-service or application.
Distinguished name	Unique Subject name in the infrastructure of Certificates.
Digi-ID	Digital Identity Document.
Encrypting	Information treatment method changing the information unreadable for those who do not have necessary skills or rights.
E-resident	A foreigner, for whom Estonia has created a digital identity and issued digital identification Document – an e-resident Digi-ID, on the basis of the identification credentials of their own country of citizenship.
E-resident Digi-ID	Digital identification document issued to a foreigner who has no right and need to apply for ID card or RP card.
ID card	An identification document which is a mandatory identity document of the Estonian citizens and aliens staying/residing permanently in Estonia.
ID-1	Format which defines physical characteristics of identification cards according to the standard ISO/IEC 7816 [11].
Integrity	A characteristic of an array: information has not been changed after the array was created.
Mobile ID	A digital identity in a mobile ID format, the Certificates of which enabling electronic identification and electronic signature are connected to the SIM-card of Mobile phone.
Object Identifier	An identifier used to uniquely name an object (OID).
Personal Data File	File on ID card and Digi-ID that includes the Subscriber's personal data.
PIN code	Activation code for a Private Key.
Private Key	The key of a key pair that is assumed to be kept in secret by the holder of the key pair, and that is used to create electronic signatures and/or to decrypt electronic records or files that were encrypted with the corresponding Public Key.
Public Key	The key of a key pair that may be publicly disclosed by the holder of the corresponding Private Key and that is used by Relying Parties to verify electronic signatures created with the holder's corresponding Private Key and/or to encrypt messages so that they can be decrypted only with the holder's corresponding Private Key.
PUK code	The unblocking of PIN codes when they have been blocked after number of allowed consecutive incorrect entries.

Term	Definition
Qualified Certificate	A certificate for electronic signatures, that is issued by the qualified trust service provider and meets the requirements laid down in Annex I of eIDAS Regulation [10] .
Qualified Electronic Signature	Advanced electronic signature that is created by a qualified electronic signature creation device, and which is based on a Qualified Certificate for electronic signatures.
Qualified Electronic Signature Creation Device	A Secure Signature Creation Device that meets the requirements laid down in eIDAS Regulation [10] . In the context of Mobile ID, QSCD compliant SIM-card is a QSCD.
Relying Party	Entity that relies on the information contained within a Certificate.
Registration Authority	Entity that is responsible for identification and Authentication of Subjects of Certificates. Additionally, the Registration Authority may accept Certificate applications, check the applications and/or forward the applications to the Certificate Authority.
Residence permit card	A residence card issued from year 2011 to natural persons entitled by IDA [9] , is a mandatory identity document of an alien who is residing permanently in Estonia on the basis of a valid residence permit or right of residence. In this CPS is referred to as ID card. Estonian residence permit is not the same as EU residence permit.
Secure Cryptographic Device	Device which holds the Private Key of the user, protects this key against compromise and performs signing or decryption functions on behalf of the user.
SK Trust Services Practice Statement	A statement of practices that SK employs in providing Trust Services.
Subscriber	A natural person to whom the Certificates of ID card, Digi-ID or Mobile-ID are issued as a public service if he/she has a statutory right. Within the meaning of this CPS, the term "Subscriber" also encompasses a natural person's representative. Validation of authority of the natural person's representative is verified in accordance with clause 3.2.5 of this CPS.
Subject	In this document, the Subject is the same as the Subscriber.
Terms and Conditions	Document that describes obligations and responsibilities of the Subscriber with respect to using Certificates. The Subscriber has to be familiar with the document and accept the Terms and Conditions [12] upon receipt of the Certificates.
Trüb Baltic AS	Manufacturer of ID cards. Additionally, Trüb Baltic AS prepares Digi-ID blanks in the factory and provides technical environment for personalisation in RA office.

1.6.2. Acronyms

Acronym	Definition
CA	Certificate Authority
CP	Certificate Policy
CPS	Certification Practice Statement
CRL	Certificate Revocation List
CSR	Certificate Signing Request

Acronym	Definition
eIDAS	<u>Regulation (EU) No 910/2014 [10]</u> of the European Parliament and of the Council of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC, amended by Regulation (EU) 2024/1183 of the European Parliament and of the Council of 11 April 2024 amending Regulation (EU) No 910/2014 as regards establishing the European Digital Identity Framework
IDA	<u>Identity Documents Act [9]</u>
MO	Mobile Operator
NCP+	Normalised Certificate Policy requiring a Secure Cryptographic Device from <u>ETSI EN 319 411-1 [8]</u>
OCSP	Online Certificate Status Protocol
OID	Object Identifier, a unique object identification code
PBGB	Police and Border Guard Board
PKI	Public Key Infrastructure
QSCD	Qualified Electronic Signature Creation Device
QCP-n-qscd	Policy for EU qualified certificate issued to a natural person where the private key and the related certificate reside on a QSCD from <u>ETSI EN 319 411-2 [7]</u>
RA	Registration Authority
SCM	SIM-card Manufacturer
SK	SK ID Solutions AS
SK PS	<u>SK ID Solutions AS Trust Services Practice Statement [2]</u>

2. Publication and Repository Responsibilities

2.1. Repositories

Refer to clause 2.1 of [SK PS \[2\]](#).

2.2. Publication of Certification Information

Refer to clause 2.2 of [SK PS \[2\]](#).

2.2.1. Publication and Notification Policies

This CPS is published on SK's website: <https://www.skidsolutions.eu/resources/certification-practice-statement/>.

This CPS and referred documents - the [CP \[4\]](#), [CP for Digi-ID \[5\]](#) and [CP for Mobile-ID \[6\]](#) and the [Certificate Profile \[3\]](#) as well as the "[Terms and Conditions for Use of Certificates of Personal Identification Documents of the Republic of Estonia](#)" [\[12\]](#) (hereinafter referred to as Terms and Conditions) together with the enforcement dates are published on SK's website <https://www.skidsolutions.eu/resources/> no less than 30 days prior to taking effect.

SK provides the capability to allow third parties to check and test Certificates it issues.

Test Certificates clearly indicate that they are for testing purposes.

2.2.2. Items not Published in the Certification Practice Statement

Refer to clause 2.2.2 of the [CP \[4\]](#), [CP for Digi-ID \[5\]](#) and [CP for Mobile-ID \[6\]](#).

Refer to clause 9.3.1 of [SK PS \[2\]](#).

2.3. Time or Frequency of Publication

Refer to clause 2.2.1 of this CPS.

2.3.1. Directory Service

Refer to clause 2.3.3 of [SK PS \[2\]](#).

2.4. Access Controls on Repositories

Refer to clause 2.4 of [SK PS \[2\]](#).

3. Identification and Authentication

3.1. Naming

3.1.1. Type of Names

Type of names assigned to the Subscriber is described in the [Certificate Profile \[3\]](#).

Value in the Organisation Name (O) indicates whether the Certificate is issued for the ID card, Digi-ID or Mobile-ID:

ID-card and RP-card O = ESTEID

Digi-ID: O = ESTEID (DIGI-ID)

Mobile-ID: O = ESTEID (MOBIIID-ID)

E-resident digi-ID: O = ESTEID (DIGI-ID E-RESIDENT)

3.1.2. Need for Names to be Meaningful

All the values in the Subscriber information section of a Certificate are meaningful.

Meaning of names in different fields of the Certificates is described in the [Certificate Profile \[3\]](#).

3.1.3. Anonymity or Pseudonymity of Subscribers

Not allowed.

3.1.4. Rules for Interpreting Various Name Forms

Pursuant to [IDA \[9\]](#), international letters are encoded according to ICAO transcription rules where necessary.

Rules for interpreting various name forms are described in the [Certificate Profile \[3\]](#).

3.1.5. Uniqueness of Names

Subscriber's distinguished name is compiled according to the certificate profile described in the [Certificate Profile \[3\]](#). SK does not issue Certificates with an identical Common Name (CN), Serial Number (S) and e-mail addresses in Subject Alternative Name (SAN) fields to different Subscribers.

3.1.6. Recognition, Authentication, and Role of Trademarks

Trademarks are not allowed.

3.2. Initial Identity Validation

3.2.1. Method to Prove Possession of Private Key

3.2.1.1. ID card and Digi-ID

Private Key of the Subscriber is generated on the QSCD during personalisation in the chip of ID card or Digi-ID by Trüb Baltic AS and PBGB respectively.

The cards are treated in a secure and traceable manner prior to handing over to the Subscriber.

3.2.1.2. Mobile ID

MO performs Subscriber Authentication and issues unpersonalised QSCD with pre-generated keys to the Subscriber. The Subscriber signs the corresponding application form and confirms the ownership of the issued QSCD.

3.2.2. Authentication of Organization Identity

Not applicable.

3.2.3. Authentication of Individual Identity

3.2.3.1. ID card and Digi-ID

PBGB verifies the identity of the Subscriber upon the issuance of ID card or Digi-ID in accordance with the [IDA \[9\]](#).

PBGB submits identification data to Trüb Baltic AS. Trüb Baltic AS forwards the data for the Certificate to SK.

Trüb Baltic AS and SK rely on the identification data provided by PBGB.

3.2.3.2. Mobile ID

MO authenticates the Subscriber via physical presence checks or electronically.

For electronic authentication, the Mobile-ID application is signed electronically by the Subscriber with a Qualified Electronic Signature compliant with [eIDAS Regulation \[10\]](#). In that case, MO relies on identification data provided in the signature of the Mobile ID agreement.

If the Subscriber has lost his/her Mobile ID due to negligence and applies for a new Mobile ID, PBGB performs Subscriber Authentication via physical presence checks or by using electronic authentication means prior to requesting issuance of Mobile ID Certificates from SK. PBGB can perform electronic authentication only if the Subscriber has been issued a valid ID card or Digi-ID.

3.2.4. Non-Verified Subscriber Information

Non-verified Subscriber information is not allowed in the Certificate.

3.2.5. Validation of Authority

The right of representation of the Subscriber's representative is checked in accordance with the [IDA \[9\]](#).

The Subscriber cannot apply for Mobile ID through a representative and Mobile ID cannot be issued to a representative.

3.2.6. Criteria for Interoperation

Not applicable.

3.3. Identification and Authentication for Re-Key Requests

3.3.1. Identification and Authentication for Routine Re-Key

3.3.1.1. ID card and Digi-ID

If the re-keying is done online using a designated application running in the Subscriber's computer, the Subscriber is authenticated using the valid Authentication Certificate of the ID card or Digi-ID that needs to be re-keyed.

If the re-keying is part of replacement of the physical card, identification and authentication procedures are similar to initial issuance as described in clause 3.2.3.1 of this CPS.

3.3.1.2. Mobile ID

In case of replacement of QSCD for valid Mobile ID (Certificate re-key) MO electronically verifies the Subscriber's identity and validates the Subscriber's electronic signature. MO can also perform Subscriber Authentication via physical presence.

3.3.2. Identification and Authentication for Re-Key After Revocation

3.3.2.1. ID card and Digi-ID

The Subscriber fills and signs the application for ID card or Digi-ID at PBGB Customer Service Point.

PBGB verifies the identity of the Subscriber in accordance with the [IDA \[9\]](#).

3.3.2.2. Mobile ID

In case the Certificates are revoked, the Subscriber has to apply for new Mobile ID and new Certificates.

Authentication of the Subscriber is carried out pursuant to clause 3.2.3.2 of this CPS.

3.4. Identification and Authentication for Revocation Request

Refer to clauses 4.9.3.1 and 4.9.3.2 of this CPS.

4. Certificate Life-Cycle Operational Requirements

4.1. Certificate Application

4.1.1. Who Can Submit a Certificate Application

4.1.1.1. ID card and Digi-ID

The Subscriber submits an application for ID card or Digi-ID to PBGB.

PBGB verifies the eligibility for the Subscriber to request ID card or Digi-ID in accordance with the [IDA \[9\]](#).

PBGB is communicating with SK only through Trüb Baltic AS. SK accepts CSRs only from Trüb Baltic AS.

4.1.1.2. Mobile ID

Certificate application can be submitted by the Subscriber via RA. SK accepts Certificate applications only from RA.

Mobile ID can be issued to the Subscriber who has a valid ID card or Digi-ID.

4.1.2. Enrolment Process and Responsibilities

4.1.2.1. ID card

The Subscriber fills and signs the application for ID card at PBGB Customer Service Point. The application includes the Subscriber's identification data as well as contact details - address, phone number and email address. Upon submitting an application, the Subscriber confirms the correctness of the information. PBGB verifies the eligibility for the Subscriber to request ID card in accordance with the [IDA \[9\]](#).

In case of positive decision, PBGB forms the order for a new card and forwards it to Trüb Baltic AS. After receiving and accepting an application for a new card, Trüb Baltic AS manufactures the card, imprints visual elements to it, fills out Personal Data File on the card, generates keypairs for the Authentication and Qualified Electronic Signature. Trüb Baltic AS submits a pair of CSRs to SK.

Trüb Baltic AS and SK rely on the identification data provided by PBGB.

The Certificates corresponding to the application are issued by SK upon automated authenticity and integrity verification of application data forwarded by PBGB.

SK is responsible for assigning the correct e-mail address in the [eesti.ee](#) domain to the certificate for Authentication. In case an e-mail address has already been assigned to the Subscriber, SK re-uses an assigned address. If the Subscriber has changed her name or has no previously assigned address, SK generates a new address according to clause 6.1 of the [Certificate Profile \[3\]](#).

SK forwards the Certificates to Trüb Baltic AS. Trüb Baltic AS loads the Certificates to the ID card and delivers personalised, but inactive and unusable ID card to PBGB.

4.1.2.2. Digi-ID

The Subscriber fills and signs the application for Digi-ID at PBGB Customer Service Point. The application includes the Subscriber's identification data as well as contact details - address, phone number and email address. Upon submitting an application, the Subscriber confirms the correctness of the information. PBGB verifies the eligibility for the Subscriber to request Digi-ID in accordance with the [IDA \[9\]](#). PBGB verifies that Digi-ID is issued to the Subscriber who has been issued an ID card or who is applying for an ID card concurrently with Digi-ID.

In case of positive decision, PBGB personalises a new Digi-ID, fills out Personal Data File, generates keypairs for Authentication and Qualified Electronic Signature and submits a pair of CSRs to Trüb Baltic AS. Trüb Baltic AS forwards the Certificate request to SK.

Trüb Baltic AS and SK rely on the identification data provided by PBGB.

The Certificates corresponding to the application are issued by SK upon automated authenticity and integrity verification of application data forwarded by PBGB.

SK is responsible for assigning the correct e-mail address in the eesti.ee domain to the certificate for Authentication. In case an e-mail address has already been assigned to the Subscriber, SK re-uses an assigned address. If the Subscriber has changed her name or has no previously assigned address, SK generates a new address according to clause 6.1 of the [Certificate Profile \[3\]](#).

PBGB loads the Certificates to Digi-ID and personalises Digi-ID. SK forwards the inactive Certificates to Trüb Baltic AS.

4.1.2.3. Mobile ID can be applied by physical presence or electronically.

MO performs Subscriber Authentication pursuant to clause 3.2.3.2 of this CPS.

In case of applying for Mobile-ID via physical presence checks upon successful Authentication, the Subscriber signs a Mobile ID agreement with MO with their handwritten signature. The agreement includes the Subscriber's identification data as well as email address. Upon signing an agreement, the Subscriber confirms the correctness of the information. MO issues the QSCD to the Subscriber and forwards the information that associates the Subscriber with the Private Keys on the issued QSCD to SK.

In case of applying for Mobile-ID electronically and the Subscriber does not have a QSCD with no Mobile ID related to it, a new QSCD is delivered by MO to the Subscriber by regular mail, courier or parcel machine. Before MID agreement signing, the Subscriber verifies that the activation codes on the QSCD are unscratched. MO verifies that the QSCD is under the control of the Subscriber by asking the QSCD number or photo of the QSCD. Subscriber signs the Mobile ID agreement in MO self-service environment with Qualified Electronic Signature. Upon signing the agreement, the Subscriber confirms the correctness of the information. MO verifies that the agreement is signed with Qualified Electronic Signature by the Subscriber and the signature status is valid. MO forwards the information that associates the Subscriber with the Private Keys on the issued QSCD to SK.

Mobile ID issuance with electronic identification with the exception that the Mobile ID agreement is signed by the Subscriber on his/her device by Qualified Electronic Signature and sent to MO by e-mail can be used in the emergency situation occurring in Estonia or in specific region(s) of Estonia. Emergency situation is either declared by Estonian Government or it is situation, where service providing is not possible without using special measures and exceptional issuance process. In the latter case the service providing under exceptional issuance process shall be approved by PBGB, SK and conformity assessment body for agreed time period. PBGB and SK shall monitor the continuous necessity for exceptional issuance process and will terminate the process usage upon ceasing of grounds, therefore. Exceptional issuance process may be used until two weeks after termination decision of PBGB and SK. If emergency situation is declared by Estonian Government, then the service provision under exceptional issuance process is allowed from enforcement of emergency situation until two weeks after termination of the emergency situation.

The Subscriber submits an application for Mobile ID Certificates in web-based application submission environment of PBGB or via MO. Alternatively, the Subscriber submits an application for Mobile ID Certificates at PBGB and confirms the correctness of the information.

PBGB performs Subscriber Authentication pursuant to clause 3.2.3.2 of this CPS and verifies the Subscriber's eligibility to request Mobile ID according to [IDA \[9\]](#). In case of positive decision, PBGB forwards the application for the Certificates to SK.

The Certificates corresponding to the application are issued by SK upon automated authenticity and integrity verification of application data forwarded by RA.

SK is responsible for assigning the correct e-mail address in the eesti.ee domain to the certificate for Authentication. In case an e-mail address has already been assigned to the Subscriber, SK re-uses an assigned address. If the Subscriber has changed her name or has no previously assigned address, SK generates a new address according to clause 6.1 of the [Certificate Profile \[3\]](#).

SK relies on the identification data provided by PBGB.

If the Subscriber applies for a new Mobile ID, PBGB terminates valid Mobile ID and issues new Mobile ID to the Subscriber.

The Subscriber can apply for a new Mobile ID if the Subscriber has lost his/her Mobile ID due to negligence. The request for a new Mobile ID is processed pursuant to clause 3.2.3.2 of this CPS.

Certificates of the old Mobile ID are revoked.

4.1.3. Annual Control of QSCD

Refer to clause 4.1.3 of [SK PS \[2\]](#).

4.2. Certificate Application Processing

4.2.1. Performing Identification and Authentication Functions

4.2.1.1. ID card and Digi-ID

PBGB validates the Subscriber's identity as described in Chapter 3 of [IDA \[9\]](#).

In case of ID card, PBGB forms the order for a new card and forwards it to Trüb Baltic AS.

In case of Digi-ID, PBGB sends the Certificate requests to SK via Trüb Baltic AS.

Trüb Baltic AS forwards the requests for the ID card and Digi-ID Certificates to SK over secure communication channel.

SK accepts CSRs only from Trüb Baltic AS.

Trüb Baltic AS and SK rely on the identification data provided by PBGB.

4.2.1.2. Mobile ID

The Subscriber can apply for Certification in the following way:

- in case the Subscriber applies for a new Mobile ID, the Subscriber applies for Certification in web-based application submission environment of PBGB or via MO from PBGB or at PBGB. PBGB applies for Certification over data exchange layer X-Road at SK on behalf of the Subscriber.

RA performs Subscriber Authentication pursuant to clause 3.2.3.2 of this CPS.

Upon successful Authentication the Subscriber can apply for Certification by signing the corresponding request at RA.

SK accepts Certification applications only from RA. Certificate applications for Mobile ID contain explicit statement regarding the QSCD ownership by the Subscriber. RA validates QSCD ownership and ensures the validity of the Public Keys presented for Certification.

SK relies on identification information provided by RA.

4.2.2. Approval or Rejection of Certificate Applications

4.2.2.1. ID card

The acceptance or rejection of an application for the ID card is decided by PBGB.

SK refuses to issue a Certificate if the Certificate request does not comply with the technical requirements set in applicable agreements. If the data contained in a CSR needs to be modified, SK coordinates corresponding amendment with PBGB.

SK notifies Trüb Baltic AS of the refusal to issue a Certificate.

4.2.2.2. Digi-ID

The acceptance or rejection of an application for Digi-ID is decided by PBGB.

SK refuses to issue a Certificate if the Certificate request does not comply with the technical requirements set in applicable agreements. If the data contained in a CSR needs to be modified, SK coordinates corresponding amendment with PBGB.

SK notifies Trüb Baltic AS of the refusal to issue a Certificate.

4.2.2.3. Mobile ID

One decision is sufficient for issuing several Certificates to a single Subscriber as long as no more than one Mobile ID remains valid at any point of time. See clauses 4.7 and 4.8 of this CPS.

SK refuses to issue a Certificate if the Certificate request does not comply with the technical requirements set in applicable agreements. If the data contained in a Certificate request needs to be modified, SK coordinates corresponding amendment with RA.

SK notifies the entity that requested Certification of the refusal to issue a Certificate.

4.2.3. Time to Process Certificate Applications

Refer to clause 4.2.3 of the [CP \[4\]](#), [CP for Digi-ID \[5\]](#) and [CP for Mobile-ID \[6\]](#).

4.3. Certificate Issuance

4.3.1. CA Actions During Certificate Issuance

4.3.1.1. ID card and Digi-ID

After checking the authenticity and integrity of the Certificate application received from Trüb Baltic AS, SK automatically issues the corresponding Certificates and allocates correct and unique e-mail address in the eeesti.ee domain to the Subscriber. Certificates are loaded to the ID card at Trüb Baltic AS or to the Digi-ID in PBGB.

All issued Certificates are in an inactive state, meaning the OCSP service does not confirm their validity and the certificates are not available via Directory Service. The inactive certificates are stored in a private database of SK. The certificates are activated only after being accepted by the Subscriber.

4.3.1.2. Mobile ID

After checking the authenticity and integrity of the Certificate application received from RA, SK automatically issues the corresponding Certificates and allocates correct and unique e-mail address in the eeesti.ee domain to the Subscriber.

4.3.2. Notifications to Subscriber by the CA of Issuance of Certificate

4.3.2.1. ID card and Digi-ID

The Subscriber is notified by PBGB of the issuance of the ID card or Digi-ID to which Certificates have been previously loaded. The ID card and Digi-ID are issued to the Subscriber in PBGB Customer Service Point and secure PIN envelope containing PIN-codes for ID card or Digi-ID is handed over to the Subscriber.

4.3.2.2. Mobile ID

The Subscriber is notified by PBGB of the issuance of Mobile ID.

SK notifies RA of the new Certificate issuance to the Subscriber.

RA notifies the Subscriber of the new Certificate issuance.

4.4. Certificate Acceptance

4.4.1. Conduct Constituting Certificate Acceptance

4.4.1.1. ID card and Digi-ID

During the issuance of the ID card or Digi-ID, the Subscriber signs the file of the ID card or Digi-ID issuance. Corresponding file includes confirmation that the Subscriber has read and agrees to the Terms and Conditions [12]. The Subscriber also confirms that the ID card or Digi-ID has been handed over to him/her. The employee of PBGB Customer Service Point forwards the request for activation of the Certificates to SK. The Certificates on the ID card and Digi-ID are activated by SK immediately.

SK notifies the employee of PBGB Customer Service Point about the activation of the Certificates.

Acceptance of and signing the Terms and Conditions [12] as well as confirmation that the ID card or Digi-ID has been handed over to the Subscriber are deemed Certificate acceptance.

4.4.1.2. Mobile ID

The following conditions are considered enough for Certificate acceptance:

- the Subscriber has signed a request for Certification at PBGB pursuant to clause 4.2.1.2 of this CPS;
- SK has received corresponding certification application from PBGB.

4.4.2. Publication of the Certificate by the CA

4.4.2.1. ID card and Digi-ID

Certificates are published by SK in Directory Service at <ldap://ldap.sk.ee/> and also at <ldaps://esteid.ldap.sk.ee> immediately after the Subscriber has accepted it.

As of 30. May 2019, SK publishes Certificates solely in Directory Service at <ldaps://esteid.ldap.sk.ee>.

Suspended and revoked Certificates are deleted from Directory Service.

In case of termination of suspension of Certificates, Certificates are re-published in Directory Service. Expired Certificates are deleted from Directory Service on the next day following the expiration.

4.4.2.2. Mobile ID

Certificates are made available via Directory Service at <ldap://ldap.sk.ee/> and also at <ldaps://esteid.ldap.sk.ee> as well as at Mobile ID Service Integration API after issuance of the Certificates by SK.

As of 30. May 2019, SK publishes Certificates solely in Directory Service at <ldaps://esteid.ldap.sk.ee>.

Suspended and revoked Certificates are deleted from Directory Service.

In case of termination of suspension of Certificates, Certificates are re-published in Directory Service. Expired Certificates are deleted from Directory Service on the next day following the expiration.

4.4.3. Notification of Certificate Issuance by the CA to Other Entities

SK delivers Certificates issued for ID card and Digi-ID immediately to Trüb Baltic AS for loading to the cards.

SK notifies Telecommunication Service Provider about issued Mobile ID Certificates.

4.5. Key Pair and Certificate Usage

4.5.1. Subscriber Private Key and Certificate Usage

The Subscriber is required to use the Private Key and Certificate lawfully and in accordance with:

- the CP [4], CP for Digi-ID [5] and CP for Mobile-ID [6];
- this CPS;
- The Terms and Conditions [12].

4.5.2. Relying Party Public Key and Certificate Usage

Relying Party is required to use the Subscriber's Public Key and Certificate lawfully and in accordance with:

- the [CP \[4\]](#), [CP for Digi-ID \[5\]](#) and [CP for Mobile-ID \[6\]](#);
- this CPS;
- The [Terms and Conditions \[12\]](#).

4.6. Certificate Renewal

Issuing replacement ID card, Digi-ID or Mobile ID after its expiration is considered re-keying due to the fact that the old Private Keys cannot be copied to the new QSCD.

4.7. Certificate Re-Key

If the Subscriber applies recurring ID card, Digi-ID or Mobile ID, this request is processed as an application for a new ID card, Digi-ID or Mobile ID.

The re-keying procedures and conditions are different for Mobile ID and smartcards due to technical reasons.

During Certificate re-key, all the erroneous or unusable Certificates to be replaced are revoked.

4.7.1. Circumstances for Certificate Re-Key

4.7.1.1. ID card and Digi-ID

Certificate re-key is allowed to:

- replace an expired or broken ID card or Digi-ID;
- fix production errors;
- fix ASN.1 encoding errors in Certificates;
- changeover to stronger cryptography.

In case of Digi-ID, Certificate re-key is allowed to extend the validity of Digi-ID that has been issued before 1. May 2018 pursuant to [IDA \[9\]](#).

Certificate re-key to fix production errors is performed upon initial application for ID card or Digi-ID. In this case, only the last Certificates are written to the card or Digi-ID media and remain valid.

Certificate re-key to fix ASN.1 encoding errors in Certificates or changeover to stronger cryptography can be requested:

- in a respective application in public data network only if Authentication Certificate of the ID card or Digi-ID is valid and in active state and at PBGB Customer Service Point.

Certificate re-key to fix ASN.1 encoding errors in Certificates or changeover to stronger cryptography can be requested at PBGB Customer Service Point if:

- failure of the re-key in an application in public data network has resulted in revocation of the Certificates;
- the Certificates are suspended;
- the activation code of the Authentication Certificate (PIN1) is blocked;
- the Certificates are in inactive state.

If the Subscriber has applied for revocation of his/her Certificates, Certificate re-key to fix ASN.1 encoding errors in Certificates or changeover to stronger cryptography cannot be performed.

Certificate re-key to extend the validity of Digi-ID can be requested in a respective application in public data network only if Authentication Certificate of the Digi-ID to be extended is valid and in active state.

4.7.1.2. Mobile ID

Certificate re-key is allowed only if the QSCD has to be replaced.

4.7.2. Who May Request Certification of a New Public Key

4.7.2.1. ID card and Digi-ID

Certificate re-key process to fix production errors of ID card can only be initiated by Trüb Baltic AS.

Certificate re-key process to fix production errors of Digi-ID can only be initiated by PBGB.

Certificate re-key process to fix ASN.1 encoding errors in Certificates or changeover to stronger cryptography can only be initiated by the Subscriber.

Certificate re-key process to extend the validity of Digi-ID can only be initiated by the Subscriber.

All the Certification requests are delivered to SK through Trüb Baltic AS.

4.7.2.2. Mobile ID

Certificate re-key process can only be initiated by the Subscriber.

All the Certification requests are delivered to SK through MO.

4.7.3. Processing Certificate Re-Keying Requests

4.7.3.1. ID card and Digi-ID

After Trüb Baltic AS has discovered ID card production errors during quality checks, Trüb Baltic AS submits a new CSR to SK.

After PBGB has discovered Digi-ID production errors during quality checks, PBGB submits a new CSR to SK through Trüb Baltic AS.

If the repeated request has no changed data in it, the already issued Certificate is retransmitted. The rest of the process is similar to initial ID card or Digi-ID issuance.

The process of Certificate re-key using an application in public data network is the following:

- the Subscriber is identified using the valid Authentication Certificate of the ID card;
- the Subscriber confirms the correctness of the information and that he/she has read and agrees with the [Terms and Conditions \[12\]](#);
- the Subscriber confirms that he/she has read and agrees with the [Terms and Conditions \[12\]](#);
- certificate re-key is performed.

The process of Certificate re-key for extending the validity of Digi-ID with an application in public data network is the following:

- the Subscriber is identified using the valid and active Authentication Certificate of the Digi-ID to be extended
- the Subscriber submits the Certificate application and confirms the correctness of the information and that he/she has read and agrees with the [Terms and Conditions \[12\]](#);
- SK issues the Certificates in inactive state;
- Trüb Baltic AS verifies that the Subscriber's personal data in the Certificates matches the data in the Subscriber's application for the Certificates. In case of a match, Trüb Baltic AS writes the Certificates on the Digi-ID media and SK activates the Certificates. In case of a mismatch, the Subscriber can apply for a new Digi-ID according to clause 4.1.2.2 of "[SK ID Solutions AS - ESTEID2018 Certification Practice Statement](#)" [17];
- the Subscriber is notified of the issuance of the new Certificate by the same application.

The process of Certificate re-key at PBGB Customer Service Point is the following:

- the Subscriber is identified by an employee of PBGB Customer Service Point;
- the Subscriber signs the application for replacement of PIN and PUK codes and confirms that he/she has read and agrees with the [Terms and Conditions \[12\]](#);
- certificate re-key is performed;
- the Subscriber is notified of the issuance of the new Certificate by an employee of PBGB Customer Service Point.

The validity period of the issued Certificates does not exceed the validity period of the underlying document.

SK immediately revokes the Certificates that have been replaced.

4.7.3.2. Mobile-ID

MO performs Subscriber Authentication pursuant to clause 3.2.3.2 of this CPS. Upon successful Authentication, the Subscriber signs an agreement with MO with a Qualified Electronic Signature or handwritten signature and confirms the correctness of the information.

The Subscriber also confirms that the QSCD to be replaced has been issued to him/her. In case the Subscriber has lost his/her Mobile ID due to negligence, the Subscriber can apply for a new Mobile ID. The request for a new Mobile ID is processed pursuant to clause 3.2.3.2 of this CPS.

MO issues new QSCD to the Subscriber and forwards the information that associates the Subscriber with the Private Keys on the issued QSCD and corresponding Public Keys to SK. SK uses corresponding Public Keys for Certification.

MO forwards the request for the Certificates over secure communication channel to SK.

SK verifies validity of the QSCD to be replaced and previously issued Certificates.

In case of positive decision, SK signs the registered Public Keys and issues new Certificates for the valid Mobile ID and notifies PBGB about the issuance of new Certificates.

MO preserves applications for replacement of QSCD and for the Certificates signed by the Subscriber.

The validity period of the issued Certificates does not exceed the validity period of the underlying Mobile ID.

SK immediately revokes the Certificates that have been replaced and thereafter notifies PBGB of revocation of the Certificates.

4.7.4. Notification of New Certificate Issuance to Subscriber

4.7.4.1. ID card and Digi-ID

If the Certificate re-key is performed to fix production errors or order to replace an expired or broken ID card or Digi-ID, notification of the Subscriber is similar to initial notification pursuant to clause 4.3.2.1 of this CPS.

If the Certificate re-key to fix ASN.1 encoding errors in Certificates or changeover to stronger cryptography is performed in an application in public data network, the Subscriber is notified of the issuance of the new Certificate by the application immediately after the Certificate has been issued.

If the Certificate re-key to fix ASN.1 encoding errors in Certificates or changeover to stronger cryptography is performed at PBGB Customer Service Point, the Subscriber is notified of the issuance of the new Certificate by an employee of PBGB Customer Service Point.

If the Certificate re-key is performed to extend the validity of Digi-ID, the Subscriber is notified of the issuance of the new Certificates by the application in public data network immediately after activation of the Certificates by SK.

4.7.4.2. Mobile ID

SK notifies MO of the new Certificate issuance to the Subscriber.

MO notifies the Subscriber of the new Certificate issuance.

4.7.5. Conduct Constituting Acceptance of a Re-Keyed Certificate

4.7.5.1. ID card and Digi-ID

If the Certificate re-key is performed to fix production errors or in order to replace an expired or broken ID card or Digi-ID, the Subscriber confirms that he/she has read and agrees to the [Terms and Conditions \[12\]](#) as stated in clause 4.4.1.1 of this CPS.

If the Certificate re-key is performed in an application in public data network, the Subscriber is notified of the issuance of the new Certificate by the application. Notification by the application is deemed acceptance of a re-keyed Certificate.

If the Certificate re-key is performed at PBGB Customer Service Point, the Subscriber is notified of the issuance of the new Certificate by an employee of PBGB Customer Service Point. Notification by an employee of PBGB Customer Service Point is deemed acceptance of a re-keyed Certificate.

4.7.5.2. Mobile ID

In case the Subscriber applies for replacement of a QSCD (Certificate re-key), the following conditions are considered enough for Certificate acceptance:

- the Subscriber has signed a request for Certification at MO pursuant to clause 4.2.1.2 of this CPS;
- SK has received corresponding certification application from MO.

SK issues the Certificates and notifies RA of the new Certificate issuance to the Subscriber. RA notifies the Subscriber of the new Certificate issuance and respective notification is deemed Certificate acceptance.

4.7.6. Publication of the Re-Keyed Certificate by the CA

Refer to clause 4.4.2 of this CPS.

4.7.7. Notification of Certificate Issuance by the CA to Other Entities

Refer to clause 4.4.3 of this CPS.

4.8. Certificate Modification

If the modification requires replacement of the underlying document (e.g. to change the data visually imprinted on the ID card) then this is treated as a new application.

The modification procedures and conditions are different for Mobile ID and smartcards due to technical reasons.

During Certificate modification, all the erroneous or unusable Certificates to be replaced are revoked.

The validity period of the newly issued Certificates does not exceed the validity period of the underlying document.

4.8.1. Circumstances for Certificate Modification

4.8.1.1. ID card and Digi-ID

Certificate modification is allowed to:

- to change the data visually imprinted on the ID card or Digi-ID and stored in the Personal Data File;
- fix production errors that are discovered during quality checks;
- change e-mail addresses written to Subject Alternative Name field of the Authentication Certificate;
- fix ASN.1 encoding errors in Certificates;
- replace SHA-1 signatures with stronger cryptography.

Certificate modification to fix production errors that are discovered during quality checks is performed upon initial application for ID card or Digi-ID. In this case, only the last Certificates are written to the card or Digi-ID media and remain valid.

Certificate modification to change e-mail addresses written to Subject Alternative Name field of the Authentication Certificate or to fix ASN.1 encoding errors in Certificates or replace SHA-1 signatures with stronger cryptography can be requested:

- in public data network in case the Authentication Certificate of the ID card or Digi-ID is valid and in active state or
- at PBGB Customer Service Point.

4.8.1.2. Mobile ID

Certificate modification is allowed only under following circumstances:

- change e-mail addresses written to the Subject Alternative Name field of the Authentication Certificates;

- fix ASN.1 encoding errors in Certificates;
- replace SHA-1 signatures with stronger cryptography.

4.8.2. Who May Request Certificate Modification

4.8.2.1. ID card and Digi-ID

Certificate modification process to fix production errors of ID card can only be initiated by Trüb Baltic AS.

Certificate modification process to fix production errors of Digi-ID can only be initiated by PBGB.

Certificate modification process to change e-mail addresses written to the Subject Alternative Name field of the Authentication Certificates or to fix ASN.1 encoding errors in Certificates or replace SHA-1 signatures with stronger cryptography can only be initiated by the Subscriber.

All the Certification requests are delivered to SK through Trüb Baltic AS.

4.8.2.2. Mobile ID

Certificate modification process can only be initiated by SK.

4.8.3. Processing Certificate Modification Requests

4.8.3.1. ID card and Digi-ID

Refer to clause 4.7.3.1 of this CPS.

4.8.3.2. Mobile ID

SK processes Certificate Modification requests and is not required to coordinate it with the Subscriber.

4.8.4. Notification of New Certificate Issuance to Subscriber

SK notifies the Subscriber of new Certificate issuance.

4.8.5. Conduct Constituting Acceptance of Modified Certificate

Refer to clause 4.7.5 of this CPS.

4.8.6. Publication of the Modified Certificate by the CA

Refer to clause 4.7.6 of this CPS.

4.8.7. Notification of Certificate Issuance by the CA to Other Entities

Refer to clause 4.7.7 of this CPS.

4.9. Certificate Revocation and Suspension

4.9.1. Circumstances for Revocation

Refer to clause 4.9.1 of the [CP \[4\]](#), [CP for Digi-ID \[5\]](#) and [CP for Mobile-ID \[6\]](#).

4.9.2. Who Can Request Revocation

4.9.2.1. ID card and Digi-ID

PBGB can present an application to revoke the Certificate of ID card or Digi-ID in accordance with [IDA \[9\]](#).

The Subscriber or competent authority within the meaning of [IDA \[9\]](#) and [Electronic Identification and Trust Services for Electronic Transactions Act \[16\]](#) can submit an application for revocation of the Certificate.

4.9.2.2. Mobile ID

PBGB can present an application to revoke the Certificate of Mobile ID in accordance with [IDA \[9\]](#).

MO can present an application for revocation of the Certificate on behalf of the Subscriber.

The Subscriber or competent authority within the meaning of [IDA \[9\]](#) and [Electronic Identification and Trust Services for Electronic Transactions Act \[16\]](#) can submit an application for revocation of the Certificate.

4.9.3. Procedure for Revocation Request

4.9.3.1. ID card and Digi-ID

Certificate revocation is regulated by provisions and procedures of revocation of identity document in [IDA \[9\]](#).

The Subscriber submits a signed application for revocation through PBGB Customer Service Point to SK. The revocation request is registered by an employee of PBGB.

An employee of PBGB Customer Service Point verifies the person filing an application for revocation in accordance with internal identity verification procedures and establishes the legality to request revocation.

An employee of PBGB Customer Service Point forwards the request for revocation over secure communication channel to SK.

If competent authority within the meaning of [IDA \[9\]](#) and [Electronic Identification and Trust Services for Electronic Transactions Act \[16\]](#) requests revocation of the Certificates, SK verifies the legality of the request and processes it according to the procedure listed below (except verifying the identity of the person requesting revocation).

After SK receives an application for revocation, the procedure for processing the request is the following:

- the compliance of the application for revocation with the [CP \[4\]](#) or [CP for Digi-ID \[5\]](#) is verified;
- the Certificate is marked as revoked in the certificate database;
- the Certificate is immediately removed from the Directory Service and OCSP stops responding with status "GOOD";
- a new CRL is published according to clause 4.9.7 of this CPS;
- the documentation on which the application for revocation was based is archived;
- the Subscriber is notified of revocation of the Certificate.

After SK has received an application for revocation, SK processes it immediately.

If revocation is requested by competent authority, the Certificates are revoked given all the reasonable circumstances, no later than on the date indicated in the revocation request or 24 hours after receipt of the request.

The revocation of the Certificate is recorded in the certificate database of SK. The Subscriber has a possibility to verify from the Directory Service, the CRL or via OCSP that the Certificate has been revoked.

Revoked Certificate can not be reinstated.

4.9.3.2. Mobile ID

Certificate revocation is regulated by provisions and procedures of revocation of identity document in [IDA \[9\]](#).

The Subscriber can apply for revocation of the Certificates by submitting a signed application at PBGB Customer Service Point. A signed application for revocation of the Certificates can also be submitted at MO Customer Service Point.

An application for revocation is forwarded to SK by PBGB over data exchange layer X-Road and over secure communication channel by an employee of MO Customer Service Point

In case the Subscriber applies for revocation of the Certificate at PBGB Customer Service Point, PBGB verifies the identity of the Subscriber in accordance with [IDA \[9\]](#).

If the Subscriber submits an application for revocation at MO Customer Service Point, an application for revocation is registered by an employee of MO Customer Service Point. An employee of MO Customer Service Point verifies the person filing an application for revocation in accordance with internal identity verification procedures and establishes the legality to request revocation.

If competent authority within the meaning of [IDA \[9\]](#) and [Electronic Identification and Trust Services for Electronic Transactions Act \[16\]](#), requests revocation of the Certificates, SK verifies the legality of the request and processes it according to the procedure listed below (except verifying the identity of the person requesting revocation).

After SK receives an application for revocation either from PBGB, MO Customer Service Point, the request is processed using a following automatic procedure:

- the compliance of the application for revocation with the [CP for Mobile ID \[6\]](#) is verified;
- the Certificate is marked as revoked in the certificate database;
- the Certificate is immediately removed from the Directory Service and OCSF stops responding with status "GOOD";
- a new CRL is published according to clause 4.9.7 of this CPS;
- the documentation on which the application for revocation was based is archived;
- the Subscriber is notified of revocation of the Certificate.

After SK has received an application for revocation, SK processes it immediately.

If revocation is requested by competent authority, the Certificates are revoked given all the reasonable circumstances, no later than on the date indicated in the revocation request or 24 hours after receipt of the request.

The revocation of the Certificate is recorded in the certificate database of SK. The Subscriber has a possibility to verify from the Directory Service, the CRL or via OCSF that the Certificate has been revoked.

Certificate revocation applies to Certificate Pairs only.

If one of the Certificates in a Certificate Pair is revoked, all the Certificate Pairs of the underlying Mobile-ID are revoked. Only in cases where revocation is requested by competent authority or SK obtains evidence that the Subscriber's Private Key corresponding to the Public Key in the Certificate suffered a key compromise or no longer complies with the requirements, SK only revokes the corresponding Certificate Pair and the other Certificate Pair remains valid.

In case of a Mobile ID repeal, all related Certificate pairs are revoked.

Revoked Certificates can not be reinstated.

The Subscriber can request suspension of the telecommunication service via the Telecommunication Service Provider Help Line 24 hours a day, 7 days a week. The operator of the Telecommunication Service Provider Help Line verifies the Subscriber by asking the Subscriber his/her safeword or check-up questions about the Subscriber's personal details (e.g. name, personal identification code, address).

Alternatively, the Subscriber can request suspension of the telecommunication service by submitting an application at Telecommunication Service Provider. An employee of the Telecommunication Service Provider verifies the Subscriber in accordance with internal verification procedures.

Suspension of the telecommunication service can result in:

- revocation of the Mobile ID Certificates or
- impossibility to use Mobile ID.

Suspension of the telecommunication service does not automatically result in revocation of the Certificates, the Subscriber is required to request revocation in case he/she is convinced that his/her device is lost or stolen. Otherwise the Certificates remain valid, but the usage of Mobile ID is disabled.

In case the Subscriber requests revocation of the Mobile ID Certificates, the request is processed pursuant to clause 4.9.3.2 of this CPS.

4.9.4. Revocation Request Grace Period

4.9.4.1. ID card and Digi-ID

The Subscriber is required to request revocation immediately after detecting the loss or theft of the ID card and Digi-ID or it becoming unusable due to another reason.

4.9.4.2. Mobile ID

The Subscriber is required to request revocation immediately after verifying the loss or theft of the device.

4.9.5. Time Within Which CA Must Process the Revocation Request

After PBGB or MO has forwarded an application for revocation to SK, SK immediately processes an application for revocation.

SK processes third party's application for revocation immediately after it has verified the correctness and completeness of the corresponding application as well as applicant's authority to request revocation.

4.9.6. Revocation Checking Requirements for Relying Parties

The mechanisms available to a Relying Party in order to check the status of certificates on which it wishes to rely have been established in the Terms and Conditions [12].

4.9.7. CRL Issuance Frequency

The value of the nextUpdate field of CRL is set to 12 hours after issuance of CRL.

CRL is signed by ESTEID-SK 2015.

4.9.8. Maximum Latency for CRLs

SK monitors the expiry time of the CRL that is published on SK's website. If a new CRL is not published 120 minutes before expiry of the previous one, an alarm is raised.

4.9.9. On-Line Revocation/Status Checking Availability

An OCSP service is free of charge and publicly accessible.

An OCSP service serves as a primary source for the Certificate status information.

Certificate status information for the Certificates issued by ESTEID-SK 2015 by ESTEID-SK 2015 AIA OCSP RESPONDER YYYYMM certificate (naming convention in [3]).

4.9.10. On-Line Revocation Checking Requirements

The mechanisms available to a Relying Party for checking the status of the Certificate on which it wishes to rely have been established in the Terms and Conditions [12].

4.9.11. Other Forms of Revocation Advertisements Available

SK offers an OCSP service with better SLA under agreement and price list.

Revocation status information of the expired Certificate can be requested at the email address info@skidsolutions.eu.

4.9.12. Special Requirements Related to Key Compromise

Not applicable.

4.9.13. Circumstances for Suspension

Refer to clause 4.9.13 of the CP [4], CP for Digi-ID [5] and CP for Mobile-ID [6].

4.9.14. Who Can Request Suspension

Anyone can request Certificate suspension.

4.9.15. Procedure for Suspension Request

4.9.15.1. ID card and Digi-ID

The suspension request is registered by the Help Line operator or suspension is registered by an employee of PBGB Customer Service Point.

Suspension request submitted via the Help Line is recorded. The person requesting suspension and the legality to request suspension is verified by using professional skills of the Help Line operator.

Alternatively, the person files a signed application for suspension to an employee of PBGB Customer Service Point. An employee of PBGB Customer Service Point verifies the person filing an application for suspension in accordance with internal identity verification procedures and establishes the legality to request suspension.

If competent authority within the meaning of [IDA \[9\]](#) and [Electronic Identification and Trust Services for Electronic Transactions Act \[16\]](#) requests suspension of the Certificates, SK verifies the legality of the request and processes it according to the procedure listed below (except verifying the identity of the person requesting suspension).

An employee of the Help Line or the Customer Service Point of PBGB forwards the request for suspension over secure communication channel to SK.

After SK has received a request for suspension of the Certificate of ID card or Digi-ID, the procedure for processing the request is the following:

- the compliance of the application for suspension of the Certificate with the [CP \[4\]](#) or [CP for Digi-ID \[5\]](#) is verified;
- the application for suspension is registered in SK's information system;
- the Certificate is suspended by SK;
- the Certificate is marked as suspended in the certificate database and if suspension is requested by competent authority, the Certificate is tagged accordingly in SK's internal database to distinguish it later from other suspended Certificates;
- the Certificate is immediately removed from the Directory Service, made unavailable via Mobile ID Service Integration API and OCSP stops responding with status "GOOD";
- a new CRL is published in accordance with clause 4.9.7 of this CPS;
- the documentation on which the application for suspension was based is archived.

After SK has received an application for suspension via the Help Line, SK processes it immediately.

If suspension is requested by competent authority, the Certificates are suspended given all the reasonable circumstances, no later than on the date indicated in the suspension request or 24 hours after receipt of the request.

If the Certificates have been suspended at the request of competent authority and suspension is later requested by the Subscriber, the Certificates are revoked. The Subscriber is informed by the Help Line operator about the situation. A request for revocation is sent to PBGB who processes it according to clause 4.9.3.1 of this CPS. Revocation does not happen immediately. The tag about special treatment is removed from the database.

In case the request for Certificate suspension was submitted via the Help Line, the Subscriber is immediately notified of the successful Certificate suspension after completion of the suspension procedure. The Subscriber has a possibility to verify on the basis of the Directory Service, the CRL or via OCSP that the Certificate has been suspended.

The Subscriber can apply for suspension of the Certificates via the Help Line 24 hours a day, 7 days a week.

4.9.15.2. Mobile ID

Not applicable.

4.9.16. Limits on Suspension Period

There are no limits on the suspension period.

4.9.17. Circumstances for Termination of Suspension

Refer to clause 4.9.17 of the [CP \[4\]](#), [CP for Digi-ID \[5\]](#) and [CP for Mobile ID \[6\]](#).

4.9.18. Who Can Request Termination of Suspension

4.9.18.1. ID card and Digi-ID

Refer to clause 4.9.18 of the [CP \[4\]](#).

4.9.18.2. Mobile ID

Not applicable.

4.9.19. Procedure for Termination of Suspension

4.9.19.1. ID card and Digi-ID

The person files a signed application for termination of suspension to an employee of the Customer Service Point of PBGB. The termination of suspension application is registered by an employee of PBGB Customer Service Point.

An employee of PBGB Customer Service Point verifies the person filing an application for termination of suspension in accordance with internal identity verification procedures and establishes the legality to request termination of suspension.

An application for termination of suspension is forwarded to SK over secure communication channel by an employee of the Customer Service Point of PBGB.

If competent authority within the meaning of [IDA \[9\]](#) and [Electronic Identification and Trust Services for Electronic Transactions Act \[16\]](#) has requested suspension of the Certificates, they can request termination of suspension.

SK verifies legality of the request and that the Certificates noted in the request are tagged as suspended in SK's internal database. If SK has confirmed that the Certificates have been tagged accordingly, SK processes the request for termination of suspension as listed below (except verifying the identity of the person requesting termination of suspension).

After SK has received an application for termination of suspension of the Certificate of ID card or Digi-ID, the procedure for processing the application is the following:

- the compliance of the application for termination of suspension of the Certificate with the [CP \[4\]](#) or [CP for Digi-ID \[5\]](#) is verified;
- if termination of suspension is requested by competent authority, SK verifies that competent authority requests termination of suspension for the Certificates it has previously requested to be suspended;
- the application for termination of suspension is registered in SK's information system;
- suspension of the Certificate is terminated by SK;
- after suspension of the Certificate is terminated, it is immediately published again in the Directory Service and OCSF starts responding with status "GOOD";
- a new CRL is published in accordance with clause 4.9.7 of this CPS;
- the documentation on which the application for termination of suspension was based is archived.

After SK has received an application for termination of suspension, SK processes it immediately.

The Subscriber is immediately notified of the successful completion of procedure of termination of suspension of the Certificate. The Subscriber has a possibility to ascertain on the basis of the Directory Service, the next CRL or via OCSF that suspension of the Certificate has been terminated. If the Subscriber requests termination of suspension that has been previously requested by competent authority, suspension is not terminated by SK.

If termination of suspension is requested by competent authority, suspension of the Certificate is terminated given all the reasonable circumstances, no later than on the date indicated in the request or 24 hours after receipt of the request.

4.9.19.2. Mobile ID

Not applicable.

4.10. Certificate Status Services

4.10.1. Operational Characteristics

SK offers CRL and OCSP services for checking certificate status. Services are accessible over HTTP protocol.

The URL of the CRL service is included in the certificate on the CRL Distribution Point (CDP) field in accordance with the [Certificate Profile \[3\]](#). The URL of the OCSP service is included in the certificate on the Authority Information Access (AIA) field in accordance with the [Certificate Profile \[3\]](#) starting from 1. November 2016.

4.10.2. Service Availability

SK ensures availability of Certificate Status Services 24 hours a day, 7 days a week with a minimum of 99.44% availability overall per year with a scheduled downtime that does not exceed 0.28% annually.

4.10.3. Operational Features

None.

4.11. End of Subscription

The Subscriber may end a subscription for the Certificate by revoking the Certificate without replacing it.

4.12. Key Escrow and Recovery

4.12.1. Key Escrow and Recovery Policy and Practices

SK does not provide the Subscriber with key escrow and recovery services.

4.12.2. Session Key Encapsulation and Recovery Policy and Practices

Not applicable.

5. Facility, Management, and Operational Controls

5.1. Physical Controls

Refer to clause 5.1 of [SK PS \[2\]](#).

5.2. Procedural Controls

Refer to clause 5.2 of [SK PS \[2\]](#).

5.3. Personnel Controls

Refer to clause 5.3 of [SK PS \[2\]](#).

5.4. Audit Logging Procedures

Refer to clause 5.4 of [SK PS \[2\]](#).

Audit log of events relation to preparation of QSCD is kept.

5.5. Records Archival

5.5.1. Types of Records Archived

Refer to clause 5.5.1 of [SK PS \[2\]](#).

All physical records about the replacement PIN envelope issuance, applications for suspension, termination of suspension and revocation are retained by RA-s and archived in accordance with relevant regulations.

5.5.2. Retention Period for Archive

Refer to clause 5.5.2 of [SK PS \[2\]](#).

5.5.3. Protection of Archive

Refer to clause 5.5.3 of [SK PS \[2\]](#).

5.5.4. Archive Backup Procedures

Refer to clause 5.5.4 of [SK PS \[2\]](#).

5.5.5. Requirements for Time-Stamping of Records

Refer to clause 5.5.5 of [SK PS \[2\]](#).

5.5.6. Archive Collection System (Internal or External)

Refer to clause 5.5.6 of [SK PS \[2\]](#).

RA-s may use external archive collection system for physical archive records.

5.5.7. Procedures to Obtain and Verify Archive Information

Refer to clause 5.5.7 of [SK PS \[2\]](#).

5.6. Key Changeover

The Public Key of the CA does not change. The Public Key for the OCSP responder is sent inside the OCSP response, through which a change of key is known.

If necessary, details of a key changeover are considered each time. Common name of the CA always contains the number of the year which it was issued (e.g. ESTEID-SK 2015).

5.7. Compromise and Disaster Recovery

Refer to clause 5.7 of [SK PS \[2\]](#).

5.8. CA or RA Termination

Refer to clause 5.8 of [SK PS \[2\]](#).

5.9. Supply Chain

Refer to clause 5.9 of [SK PS \[2\]](#).

6. Technical Security Controls

This CPS describes the Subscriber's key pair generation and management. Root CA's and intermediate CA's key pair generation and management is described in chapter 6 of [SK PS \[2\]](#).

6.1. Key Pair Generation and Installation

Refer to clause 6.1 of [SK PS \[2\]](#).

6.1.1. Key Pair Generation

Refer to clause 6.1.1 of [SK PS \[2\]](#).

6.1.1.1. ID Card

The Subscriber Private Keys are generated during personalisation in the chip of the ID card by Trüb Baltic AS. The generated keys cannot be extracted or restored from the card. The Subscriber keys are protected by the activation PIN codes handed over and known only to the Subscriber. During re-key, new keys are generated by the Subscriber in the card.

6.1.1.2. Digi-ID

The Subscriber Private Keys are generated on the QSCD, i.e. in the chip of the Digi-ID during personalisation in the RA office. The generated keys cannot be extracted or restored from the card. The Subscriber keys are protected by the activation PIN codes handed over and known only to the Subscriber. During re-key, new keys are generated by the Subscriber in the card.

6.1.1.3. Mobile ID

The Private Keys are pre-generated by the SCM in a FIPS 140-2 Level 3 certified cryptographic device. The keys are loaded onto the QSCD in a secure manner. The Subscriber keys are protected by the activation PIN codes handed over and known only to the Subscriber. The SCM deletes Private Keys from her information system promptly after transferring them on the QSCD. Private Keys are not saved outside of the QSCD in the course of this transfer.

6.1.2. Private Key Delivery to Subscriber

The Subscriber Private Keys are delivered on the QSCD, i.e. in the chip of the card. The confidentiality and non-usage of the generated Private Keys and PIN codes until issuance of the card to the Subscriber is warranted by respective parties involved in handling the cards. The confidentiality and non-usage of the generated Private Keys and activation codes is also warranted by the inactive state of the ID card and Digi-ID Certificates and that QSCD is non-personalised before it is handed over to the Subscriber.

6.1.3. Public Key Delivery to Certificate Issuer

6.1.3.1. ID Card

Trüb Baltic AS sends the Public Key to be certified to SK via a secure and private electronic channel using a message signed by Trüb Baltic AS.

6.1.3.2. Digi-ID

The RA is using a custom application for instructing the card to start key generation. During this process the Public Key is delivered to Trüb Baltic AS via a secure and private channel, who in turn creates a signed message to request the Certificates from SK.

6.1.3.3. Mobile ID

The pre-generated Public Keys are delivered in batches from the SCM to MO. An authorized representative of the MO electronically signs the batch and requests loading the keys to a database in SK. When issuing a Certificate, SK finds the correct Public Key from the database of previously loaded keys based on the serial number of the QSCD.

6.1.4. CA Public Key Delivery to Relying Parties

Refer to clause 6.1.4 of [SK PS \[2\]](#).

6.1.5. Key Sizes

Subscriber keys are 2047 or 2048 bits when RSA and 256 or 384 bits when ECC algorithm is used.

6.1.6. Public Key Parameters Generation and Quality Checking

The quality of Public Keys is guaranteed by using secure random number generators built into the smartcard or HSM-s. User-generated keys are not accepted. Before issuing a Certificate, key is checked for duplicates and some basic analytic checks are applied (e.g. $e > 1$ for RSA). More thorough checks are run over database of issued Certificates regularly.

6.1.7. Key Usage Purposes (as per X.509 v3 Key Usage Field)

Key usage purposes are described in clause 7.1 of this CPS.

6.2. Private Key Protection and Cryptographic Module Engineering Controls

6.2.1. Cryptographic Module Standards and Controls

6.2.1.1. ID card and Digi-ID

Refer to clause 6.2.1 of [SK PS \[2\]](#).

The chips used to store Subscriber Private keys are QSCD according to [eIDAS Regulation \[10\]](#).

6.2.1.2. Mobile ID

Refer to clause 6.2.1 of [SK PS \[2\]](#).

The chips used to store Subscriber Private keys are QSCD according to [eIDAS Regulation \[10\]](#).

Keys are generated by a FIPS 140-2 (Level 3) certified device.

6.2.2. Private Key (n out of m) Multi-Person Control

Refer to clause 6.2.2 of [SK PS \[2\]](#).

No Multi-Person control is applied to Subscriber Private keys.

6.2.3. Private Key Escrow

Refer to clause 6.2.3 of [SK PS \[2\]](#).

SK does not offer Key Escrow services to Subscribers.

6.2.4. Private Key Backup

Refer to clause 6.2.4 of [SK PS \[2\]](#).

The Subscriber Private Keys cannot be extracted or restored from the chip and are not backed up.

6.2.5. Private Key Archival

Refer to clause 6.2.5 of [SK PS \[2\]](#).

The Subscriber Private Keys cannot be extracted or restored from the chip and are not archived.

6.2.6. Private Key Transfer Into or From a Cryptographic Module

Refer to clause 6.2.6 of [SK PS \[2\]](#).

The Subscriber Private Keys for ID card and Digi-ID are generated inside the card.

The Subscriber Private Keys for Mobile ID are transferred from the HSM to QSCD in a protected environment using a secure electronic channel.

6.2.7. Private Key Storage on Cryptographic Module

Refer to clause 6.2.7 of [SK PS \[2\]](#).

Private Keys of the Subscriber are stored on the chip of the ID card, Digi-ID or Mobile ID.

6.2.8. Method of Activating Private Key

Refer to clause 6.2.8 of [SK PS \[2\]](#).

The Subscriber Private Keys are protected by PIN codes. The following rules apply:

- there is a separate PIN for each Private Key or group of Private Keys corresponding to a Certificate with unique Distinguished Name (i.e. there are separate PIN-s for Authentication Key and Signature Key, but RSA key for Authentication and ECC key for Authentication can be protected with the same PIN);
- the Subscriber must enter the activation code of the Authentication Certificate (PIN1) at least once after ID card or Digi-ID has been inserted into the card reader device or the mobile handset has booted;
- the Subscriber must enter the activation code of the Qualified Electronic Signature Certificate (PIN2) before every single operation done with the corresponding Private Key;
- the usage of all Private Keys protected by a single PIN will be blocked after 3 consecutive incorrect tries;
- PIN can be unblocked using a PUK code;
- the usage of PUK code will be blocked after 3 consecutive incorrect tries;
- user can change the PIN and PUK codes.

The length of the activation codes is limited to:

- 4-12 numbers for the Authentication Key (PIN1);
- 5-12 numbers for the Signature Key (PIN2);
- 8-12 numbers for the The Unlock (PUK) code.

If the PUK codes of ID card or Digi-ID are lost or blocked, the Subscriber can apply for replacement codes in the Customer Service Points of PBGB or SK. Replacement PIN-envelopes are not issued for E-resident Digi-ID and Mobile ID.

PIN and PUK codes for activating Private Keys of Mobile ID are different from PIN and PUK codes of the SIM card.

6.2.9. Method of Deactivating Private Key

Refer to clause 6.2.9 of [SK PS \[2\]](#).

The Private Key is deactivated by disconnecting power or resetting the card or the device.

The Subscriber can deactivate a Private Key by revoking the Certificates or by entering all the PIN and PUK codes incorrectly 3 consecutive times.

6.2.10. Method of Destroying Private Key

Refer to clause 6.2.9 of [SK PS \[2\]](#).

The Subscriber Private Keys can be destroyed by physically destroying or damaging the chip.

6.2.11. Cryptographic Module Rating

Refer to clause 6.2.1 of this CPS.

ID cards, Digi-ID cards and Mobile ID SIM cards are QSCD according to [eIDAS \[10\]](#).

6.3. Other Aspects of Key Pair Management

6.3.1. Public Key Archival

Refer to clause 6.3.1 of [SK PS \[2\]](#).

All the Subscriber Public Keys are kept in database of SK and may be archived after expiration of the CA that has issued the certificates.

6.3.2. Certificate Operational Periods and Key Pair Usage Periods

Refer to clause 6.3.2 of [SK PS \[2\]](#).

For Subscriber Certificates, the validity period is defined in clause 7.1 of this CPS.

6.4. Activation Data

6.4.1. Activation Data Generation and Installation

Refer to clause 6.4.1 of [SK PS \[2\]](#).

6.4.1.1. ID card

Activation codes are printed in one copy by TRÜB Baltic AS straight to the security envelope which is handed over to the Subscriber unopened. Copies of the activation codes are not stored by Trüb Baltic AS.

Activation codes are protected in such way that it is impossible to read them without breaking security element. The Subscriber has prerogative to refuse from accepting of activation codes with altered security element.

The replacement PIN envelopes are anonymous before issuing in the Customer Service Point. The envelopes are numbered and there is a cryptographically protected link between the number of envelope and the corresponding codes inside. During issuance an employee of the Customer Service Point enters the number of the envelope to the system and the card is programmed with the corresponding codes without exposing them to an employee of the Customer Service Point. The algorithm used and the details of communications protocol are described in [ID Card documentation \[15\]](#).

RA issues replacement activation codes to the Subscriber when they need to be replaced or updated.

All activation codes of a single ID card are replaced at once.

Prior to issuing replacement activation codes RA performs Subscriber Authentication.

6.4.1.2. Digi-ID

The anonymous cards are initialised with fixed PIN code. During personalisation, a replacement envelope is issued straight away according to protocol described in clause 6.4.1.1 of this CPS and [ID card documentation \[15\]](#).

6.4.1.3. Mobile ID

Activation codes are pregenerated by the SCM printed on the plastic of the QSCD containment under the secure layer. Activation codes are protected in such way that it is impossible to read them without breaking security element. The Subscriber has prerogative to refuse from accepting of activation codes with altered security element.

6.4.2. Activation Data Protection

Refer to clause 6.4.2 of [SK PS \[2\]](#) and 6.4.1 of this CPS.

6.4.3. Other Aspects of Activation Data

Not applicable.

6.5. Computer Security Controls

6.5.1. Specific Computer Security Technical Requirements

Refer to clause 6.5.1 of [SK PS \[2\]](#).

Subscriber is responsible for applying reasonable protections on her device.

6.5.2. Computer Security Rating

Refer to clause 6.5.2 of [SK PS \[2\]](#).

Subscriber is responsible for applying reasonable protections on her device.

6.6. Life Cycle Technical Controls

Refer to clause 6.6 of [SK PS \[2\]](#).

Subscriber is responsible for applying reasonable protections on her device.

6.7. Network Security Controls

Refer to clause 6.7 of [SK PS \[2\]](#).

Subscriber is responsible for applying reasonable protections on her device.

6.8. Time-Stamping

Refer to clause 6.8 of [SK PS \[2\]](#).

Not applicable to Subscribers.

7. Certificate, CRL, and OCSP Profiles

7.1. Certificate Profile

Certificate profile is described in the [Certificate Profile \[3\]](#), published in SK's public information repository <https://www.skidsolutions.eu/resources/profiles/>.

7.2. CRL Profile

The CRL profile is described in the [Certificate Profile \[3\]](#), published in SK's public information repository <https://www.skidsolutions.eu/resources/profiles/>.

7.3. OCSP Profile

The OCSP profile is described in the [Certificate Profile \[3\]](#), published in SK's public information repository <https://www.skidsolutions.eu/resources/profiles/>.

8. Compliance Audit and Other Assessments

Refer to chapter 8 of [SK PS \[2\]](#).

9. Other Business and Legal Matters

9.1. Fees

9.1.1. Certificate Issuance or Renewal Fees

9.1.1.1. ID card and Digi-ID

The Subscriber pays fee for the review of an application for the issuance of the ID card and Digi-ID according to the rate provided for in the [State Fees Act \[13\]](#). Corresponding fee includes fee for the Certificate issuance.

The fee for the certificate issuance is considered business secret between SK and Trüb Baltic AS.

Certificate renewal is not performed.

9.1.1.2. Mobile ID

The Subscriber pays monthly fee for Mobile ID according to the rate provided for in MO's price list.

MO is entitled to charge a fee for a new Mobile ID and new QSCD.

The Subscriber signs different agreements for Mobile ID and QSCD with MO.

MO signs an agreement for Mobile ID solely with the Subscriber and can sign an agreement for QSCD with other party (e.g. legal person) than the Subscriber.

MO is entitled to charge a fee if the Mobile ID is still in valid state for more than 365 days and the Subscriber applies for the Certificates which validity end date is longer compared to validity end date of the Certificates issued for the valid Mobile ID.

The fee for the certificate issuance is considered business secret between SK and MO.

Certificate renewal is not performed.

9.1.2. Certificate Access Fees

Valid and activated Certificates are available in the Directory Service.

Mobile ID Certificates are also available via Mobile ID Service Integration API.

Directory Service is free of charge and is accessible at <ldap://ldap.sk.ee> and also at <ldaps://esteid.ldap.sk.ee>.

9.1.3. Revocation or Status Information Access Fees

Revocation of the Certificate of the ID card, Digi-ID and Mobile ID is free of charge.

A valid CRL is free of charge and is accessible on SK's website <https://www.skidsolutions.eu/resources/certificates/>.

An OCSP service for online verification is free of charge and publicly accessible.

The fee for Mobile ID Service Integration API is specified in the Subscriber or Relying Party agreement.

In case of other manners of publication information on certificate status, SK may fix a fee in a price list or require corresponding agreement.

9.1.4. Fees for Other Services

Fees for other services are specified in SK's price list or in the Subscriber's or Relying Party's agreement.

9.1.5. Refund Policy

The Subscriber is entitled to apply for the refund of the state fee for the review of an application for the issuance of the ID card and Digi-ID in accordance with the [State Fees Act \[13\]](#).

9.2. Financial Responsibility

9.2.1. Insurance Coverage

Refer to clause 9.2.1 of [SK PS \[2\]](#).

9.2.2. Other Assets

Not applicable.

9.2.3. Insurance or Warranty Coverage for End-Entities

Refer to clause 9.2.1 of [SK PS \[2\]](#).

9.3. Confidentiality of Business Information

Refer to clause 9.3 of [SK PS \[2\]](#).

9.4. Privacy of Personal Information

Refer to clause 9.4 of [SK PS \[2\]](#).

9.5. Intellectual Property rights

SK obtains intellectual property rights to this CPS.

9.6. Representations and Warranties

9.6.1. CA Representations and Warranties

9.6.1.1. ID card and Digi-iD

Refer to clause 9.6.1 of [SK PS \[2\]](#).

SK ensures that:

- the supply of the certification service is in accordance with the relevant legislation;
- the supply of the certification service is in accordance with this CPS, the [CP \[4\]](#) and the [CP for Digi-ID \[5\]](#);
- it keeps account of the certificates issued by it and of their validity;
- it accepts applications for suspension of certificates 24 hours a day;
- it provides the possibility to check the validity of certificates 24 hours a day;
- the certification keys are protected by hardware security modules (i.e. HSM) and are under sole control of SK;
- the certification keys used in the supply of the certification service are activated on the basis of shared control;
- it provides security with its internal security procedures.

Due to ID card and Digi-ID Certificates being used for electronic identification and creating electronic signatures, usage of the Certificates imply legal capability of the Subscriber.

If the Subscriber has some sort of disability, Customer Service Point of PBGB and SK as well as the Help Line assist with applying for and usage of the Certificates. Assistance to the Subscriber is also provided with suspension, termination of suspension and revocation of the Certificates.

9.6.1.2. Mobile ID

Refer to clause 9.6.1 of [SK PS \[2\]](#).

SK ensures that:

- the supply of the certification service is in accordance with the relevant legislation;
- the supply of the certification service is in accordance with this CPS, the [CP for Mobile ID \[6\]](#);
- it keeps account of the Certificates issued by it and of their validity;

- it provides the possibility to check the validity of Certificates 24 hours a day;
- it accepts and registers the issuance of the QSCD-s and corresponding Public Keys presented by MO;
- it accepts and registers the requests of the Certificates presented by MO, verifies validity of the QSCD to be replaced and previously issued Certificates (in case of Certificate re-key), decides the issuance of the certificates and forwards the information on issuance of Certificates to PBGB;
- it accepts and registers the Certificate requests presented by PBGB and issues the corresponding Certificates;
- it accepts, registers and processes the applications for revocation of Mobile ID Certificates presented by MO and forwards the information on revocation of the Certificates to PBGB;
- the certification keys are protected by hardware security modules (i.e. HSM) and are under sole control of SK;
- the certification keys used in the supply of the certification service are activated on the basis of shared control;
- it provides security with its internal security procedures.

Due to Mobile-ID Certificates being used for electronic identification and creating electronic signatures, usage of the Certificates imply legal capability of the Subscriber.

If the Subscriber has some sort of disability, RA, PBGB and Customer Service Point of MO assist with applying for and usage of the Certificates. Assistance to the Subscriber is also provided with revocation of the Certificates.

9.6.2. RA Representations and Warranties

9.6.2.1. ID card and Digi-ID

9.6.2.1.1. PBGB Customer Service Point

Refer to clause 9.6.2 of [SK PS \[2\]](#).

PBGB Customer Service Point ensures that:

- it issues ID card and Digi-ID to Subscribers by first activating the certificates loaded thereon;
- it accepts Subscriber applications for ID card and Digi-ID Certificate creations, suspensions, terminations of suspension and revocations;
- it accepts reasoned applications from the Subscriber for fixing ASN.1 encoding errors in Certificates and changeover to stronger cryptography and designation of replacement PIN-codes;
- it checks the correctness and completeness of the listed applications;
- it identifies and verifies the Subscriber submitting any of the listed applications;
- it provides security with its internal security procedures.

PBGB Customer Service Point forwards true and complete data to SK.

PBGB Customer Service Point immediately notifies SK and Trüb Baltic AS about any technical failure hindering the supply of the service and uses all reasonable endeavours to repair the failure as soon as possible.

If the Subscriber has some sort of disability, PBGB Customer Service Point provides all-around assistance to the Subscriber with applying for and servicing of the Certificates.

9.6.2.1.2. Help Line

Refer to clause 9.6.2 of [SK PS \[2\]](#).

The Help Line ensures that:

- it accepts applications for the ID card and Digi-ID certificate suspensions;
- it provides security with its internal security procedures.

The Help Line takes calls from Subscribers and other parties 24 hours a day 7 days a week.

The Help Line immediately notifies SK about any technical failure hindering the supply of the service and uses all reasonable endeavours to repair the failure as soon as possible.

If the Subscriber has some sort of disability, the Help Line provides all-around assistance to the Subscriber with applying for and servicing of the Certificates.

9.6.2.2. Mobile ID

9.6.2.2.1. RA

Refer to clause 9.6.2 of [SK PS \[2\]](#).

RA ensures that:

- it accepts applications from the Subscribers for the issuance of the Certificates and forwards them to SK;
- it checks the correctness and completeness of the applications submitted by the Subscribers;
- it identifies and verifies the Subscriber submitting an application for the issuance of the Certificates;
- it validates QSCD ownership and ensures the validity of the Public Keys presented for Certification;
- it accepts notifications from SK about Certificates issued by SK;
- the employees, who are involved with information related to certification service, are not punished for intentional crime;
- it provides security with its internal security procedures.

RA forwards true and complete data to SK.

RA immediately notifies SK about any technical failure hindering the supply of the service and uses all reasonable endeavours to repair the failure as soon as possible.

If the Subscriber has some sort of disability, RA provides all-around assistance to the Subscriber with applying for and servicing of the Certificates.

9.6.2.2.2. PBGB

PBGB ensures that:

- it accepts applications for Certificates, decides approval of the applications and forwards the approved Certificate applications to SK;
- it accepts applications for revocation of Certificates, decides approval of the applications and forwards the approved Certificate revocation applications to SK;
- while processing the listed applications, it verifies accuracy and integrity of the applications;
- it accepts notifications from SK about Certificates issued by SK;
- it accepts notifications from SK about Certificates revoked by SK;
- it verifies the applicant's identity and his/her powers to carry out the operation in accordance with the effective legislation;
- it follows requirements described in this CPS in the information system (including its web-based application submission environment) that is related to the certification service;
- it follows availability and security requirements on its web-based application submission system at least to the level of the requirements described in this CPS;
- the employees, who are involved with information related to certification service, are not punished for intentional crime;
- it provides security with its internal security procedures.

If the Subscriber has some sort of disability, PBGB provides all-around assistance to the Subscriber with applying for and servicing of the Certificates.

9.6.2.2.3. Mobile Operator

MO ensures that:

- it follows availability and security requirements on the information system related to Mobile ID service at least to the level of the requirements described in this CPS;
- it provides security with its internal security procedures;

- the employees, who accept applications regarding QSCD and Certificates and/or are involved with information related to certification service, are not punished for intentional crime.

9.6.2.2.4. MO Customer Service Point

Refer to clause 9.6.2 of [SK PS \[2\]](#).

MO Customer Service Point ensures that:

- it accepts applications for QSCD issuance and replacement for valid Mobile ID (Certificate re-key);
- it accepts applications for suspension, restoration and closure of the telecommunication service;
- it accepts applications for revocations of the Certificates and forwards them to SK;
- it forwards the applications for QSCD to SK and hands over QSCD to the Subscriber;
- it preserves signed applications for QSCD change and for replacement of QSCD for valid Mobile ID (Certificate re-key);
- it forwards the request for the Certificates in case of Certificate re-key to SK;
- it verifies accuracy and integrity of the listed applications;
- it verifies identity of the applicant and his/her powers to carry out the operation in accordance with the relevant legislation and internal security procedures;
- it provides security with its internal security procedures.

If the Subscriber has some sort of disability, MO Customer Service Point provides all-around assistance to the Subscriber with applying for QSCD and servicing of the Certificates.

9.6.3. Subscriber Representations and Warranties

9.6.3.1. ID card and Digi-iD

Refer to clause 9.6.3 of [SK PS \[2\]](#).

The Subscriber ensures that:

- he/she adheres to the requirements provided by SK in this CPS;
- he/she presents true and correct information to PBGB while presenting an application for the ID card and Digi-ID;
- in case of a change in his/her personal details, he/she immediately notifies PBGB of the correct details in accordance with the established legislation;
- he/she uses his/her Private Keys solely for creating Qualified Electronic Signatures;
- he/she uses his/her private keys and corresponding certificates pursuant to the procedure and in the manner prescribed by SK;
- he/she uses his/her private key in accordance with this CPS;
- he/she immediately informs SK of a possibility of unauthorised use of his/her private key and suspends or revokes his/her certificates;
- he/she immediately suspends or revokes his/her certificates if his/her private key has gone out of his/her possession;
- he/she no longer uses his/her Private Key, in the case of being informed that his/her Certificate has been revoked or that the issuing CA has been compromised;
- he/she is aware that Qualified Electronic Signatures given on the basis of expired, revoked or suspended certificates are invalid.

The Subscriber is not responsible for the acts performed during the suspension of certificates. In case the Subscriber terminates suspension of certificates, the Subscriber is solely and fully responsible for any consequences of Authentication and Qualified Electronic Signature using the certificates during the time when the certificates were suspended.

If the Subscriber has a suspicion that the ID card or Digi-ID has gone out of control of the Subscriber at the time of suspension of certificates, the Subscriber is obliged to revoke the certificates.

The Subscriber is solely responsible for the maintenance of his/her private key.

The Subscriber has to accept the [Terms and Conditions \[12\]](#).

9.6.3.2. Mobile ID

Refer to clause 9.6.3 of [SK PS \[2\]](#).

The Subscriber ensures that:

- he/she adheres to the requirements provided by SK in this CPS;
- He/she presents true and correct personal data to MO while submitting an application for QSCD or for change of QSCD;
- he/she presents true and correct personal data to PBGB while submitting an application for Mobile ID Certificates;
- he/she presents true and correct personal data to MO while submitting an application for replacement of QSCD (Certificate re-key) and confirms that the QSCD to be replaced has been issued to him/her;
- he/she notifies PBGB in case of change of personal data in accordance with the effective legislation;
- he/she notifies MO in case of Mobile ID becoming unusable, lost or destroyed in accordance with the effective legislation;
- he/she uses his/her Private Keys solely for creating Qualified Electronic Signatures;
- he/she uses his/her private keys and corresponding certificates pursuant to the procedure and in the manner prescribed by SK;
- he/she uses his/her private key in accordance with this CPS;
- in case of a change in his/her personal details stored in the certificate he/she applies for a new QSCD and Mobile ID Certificates in order to continue usage of the Mobile ID service;
- he/she immediately informs SK of a possibility of unauthorised use of his/her private key and revokes his/her certificates;
- he/she immediately revokes his/her certificates if his/her private key has gone out of his/her possession or the device has been stolen;
- he/she no longer uses his/her Private Key, in the case of being informed that his/her Certificate has been revoked or that the issuing CA has been compromised;
- he/she is aware that Qualified Electronic Signatures given on the basis of expired, revoked or suspended certificates are invalid.

The Subscriber is not responsible for the acts performed during the suspension of certificates. In case the Subscriber terminates suspension of certificates, the Subscriber is solely and fully responsible for any consequences of Authentication and Qualified Electronic Signature using the certificates during the time when the certificates were suspended.

If the Subscriber has a suspicion that Mobile ID has gone out of control of him/her at the time of suspension of the certificates and/or the telecommunication service, the Subscriber is obliged to revoke the certificates.

The Subscriber is solely responsible for the maintenance of his/her private key.

The Subscriber has to accept the [Terms and Conditions \[12\]](#).

9.6.4. Relying Party Representations and Warranties

Refer to clause 9.6.4 of [SK PS \[2\]](#).

A Relying Party studies the risks and liabilities related to acceptance of the Certificate. The risks and liabilities have been set out in this CPS, the [CP \[4\]](#), [CP for Digi-ID \[5\]](#) and [CP for Mobile ID \[6\]](#).

If not enough evidence is enclosed to the Certificate or Electronic Signature with regard to the validity of the Certificate, a Relying Party verifies the validity of the Certificate on the basis of certificate validation services offered by SK at the time of using the Certificate or affixing a Qualified Electronic Signature.

A Relying Party follows the limitations stated within the Certificate and makes sure that the transaction to be accepted corresponds to the [CP \[4\]](#), [CP for Digi-ID \[5\]](#) and [CP for Mobile ID \[6\]](#).

A Relying Party uses CRL service on its own responsibility.

9.6.5. Representations and Warranties of Other Participants

9.6.5.1. ID card and Digi-ID

9.6.5.1.1. Trüb Baltic AS

An employee of Trüb Baltic AS is not punished for an intentional crime.

Trüb Baltic AS provides security with its internal security procedures.

9.6.5.2. Mobile ID

9.6.5.2.1. SIM-card Manufacturer

SCM is responsible for all operations and procedures regarding the production of QSCD, including secure key generation and loading as well as Public Key delivery to SK.

9.7. Disclaimers of Warranties

Refer to clause 9.7 of [SK PS \[2\]](#).

9.8. Limitations of Liability

Refer to clause 9.8 of [SK PS \[2\]](#).

9.9. Indemnities

Indemnities between the Subscriber and SK are regulated in [Terms and Conditions \[12\]](#).

9.10. Term and Termination

9.10.1. Term

Refer to clause 2.2.1 of this CPS.

9.10.2. Termination

Refer to clause 9.10.2 of [SK PS \[2\]](#).

9.10.3. Effect of Termination and Survival

SK communicates the conditions and effect of this CPS's termination via its public repository. The communication specifies which provisions survive termination.

At a minimum, all responsibilities related to protecting personal and confidential information, also maintenance of SK archives for determined period and logs survive termination. All Subscriber agreements remain effective until the certificate is revoked or expired, even if this CPS terminates.

Termination of this CPS cannot be done before termination actions described in clause 5.8 of this CPS.

9.11. Individual Notices and Communications with Participants

The Subscriber is granted with a right to get familiarised with the [Terms and Conditions \[12\]](#), before agreeing to and signing it.

The Subscriber's individual notices are communicated via the Subscriber's email address in the certificate for Authentication and Subscriber's contact email address in the Certificate application, or only to one of the mentioned email addresses.

9.12. Amendments

9.12.1. Procedure for Amendment

Refer to clause 1.5.4 of this CPS.

9.12.2. Notification Mechanism and Period

Refer to clause 2.2.1 of this CPS.

9.12.3. Circumstances Under Which OID Must be Changed

Not applicable.

9.13. Dispute Resolution Provisions

Refer to clause 9.13 of [SK PS \[2\]](#).

The Subscriber or other party can submit their claim or complaint at the email address info@skidsolutions.eu.

9.14. Governing Law

This CPS is governed by the jurisdictions of the European Union and Estonia.

9.15. Compliance with Applicable Law

Refer to clause 9.15 of [SK PS \[2\]](#).

Additionally, SK ensures compliance with the following requirements:

[IDA \[9\]](#)

[State Fees Act \[13\]](#)

[General Data Protection Regulation \[14\]](#)

9.16. Miscellaneous Provisions

9.16.1. Entire Agreement

SK contractually obligates each RA to comply with this CPS and applicable industry guidelines. SK also requires each party using its products and services to enter into an agreement that delineates the terms associated with the product or service. If an agreement has provisions that differ from this CPS, then the agreement with that party prevails, but solely with respect to that party. Third parties may not rely on or bring action to enforce such agreement.

9.16.2. Assignment

Any entities operating under this CPS may not assign their rights or obligations without the prior written consent of SK. Unless specified otherwise in a contract with a party, SK does not provide notice of assignment.

9.16.3. Severability

If any provision of this CPS is held invalid or unenforceable by a competent court or tribunal, the remainder of the CPS remains valid and enforceable. Each provision of this CPS that provides for a limitation of liability, disclaimer of a warranty, or an exclusion of damages is severable and independent of any other provision.

9.16.4. Enforcement (Attorney's Fees and Waiver of Rights)

SK may claim indemnification and attorneys' fees from a party for damages, losses, and expenses related to that party's conduct. SK's failure to enforce a provision of this CPS does not waive SK's right to enforce the same provision later or right to enforce any other provision of this CPS. To be effective, waivers must be in writing and signed by SK.

9.16.5. Force Majeure

Refer to clause 9.16.5 of [SK PS \[2\]](#).

9.17. Other Provisions

Not applicable.

10. References

1. RFC 3647 – Request For Comments 3647, Internet X.509 Public Key Infrastructure Certificate Policy and Certification Practices Framework;
2. SK ID Solutions AS Trust Services Practice Statement, published:
<https://www.skidsolutions.eu/resources/trust-services-practice-statement/>;
3. Certificate, CRL and OSCP Profile for personal identification documents of the Republic of Estonia, published: <https://www.skidsolutions.eu/resources/profiles/>;
4. SK ID Solutions AS - Certificate Policy for ID card, published:
<https://www.skidsolutions.eu/resources/certificate-policies/>;
5. SK ID Solutions AS – Certificate Policy for Digi-ID, published:
<https://www.skidsolutions.eu/resources/certificate-policies/>;
6. SK ID Solutions AS - Certificate Policy for Mobile ID of the Republic of Estonia, published:
<https://www.skidsolutions.eu/resources/certificate-policies/>;
7. ETSI EN 319 411-2 Electronic Signatures and Infrastructures (ESI); Policy and security requirements for Trust Service Providers issuing certificates; Part 2: Policy requirements for certification authorities issuing qualified certificates;
8. ETSI EN 319 411-1 Electronic Signatures and Infrastructures (ESI); Policy and security requirements for Trust Service Providers issuing certificates; Part 1: General Requirements;
9. Identity Documents Act, RT I 1999, 25, 365, published:
<https://www.riigiteataja.ee/en/eli/ee/516012024005/consolide/current/>;
10. eIDAS - Regulation (EU) No 910/2014 of the European Parliament and of the Council of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC, amended by Regulation (EU) 2024/1183 of the European Parliament and of the Council of 11 April 2024 amending Regulation (EU) No 910/2014 as regards establishing the European Digital Identity Framework;
11. ISO/IEC 7816, Parts 1-4, published: <http://iso.org>;
12. Terms and Conditions for Use of Certificates of Personal Identification Documents of the Republic of Estonia, published: <https://www.skidsolutions.eu/resources/conditions-for-use-of-certificates/>;
13. State Fees Act, RT I, 30.12.2014, 1, published:
<https://www.riigiteataja.ee/en/eli/ee/517012024004/consolide/current/>;
14. General Data Protection Regulation - Regulation (EU) 2016/679 of the European Parliament and of the Council of 27 April 2016 on the protection of natural persons with regard to the processing of personal data and on the free movement of such data, and repealing Directive 95/46/EC;
15. ID card documentation webpage: <https://www.id.ee/en/article/id-card-documentation-2/>;
16. Electronic Identification and Trust Services for Electronic Transactions Act, 26.10.2016, published:
<https://www.riigiteataja.ee/en/eli/ee/506032023001/consolide/current/>;
17. SK ID Solutions AS - ESTEID2018 Certification Practice Statement, published:
<https://www.skidsolutions.eu/resources/certification-practice-statement/>;
18. Mobile ID REST API <https://github.com/SK-EID/MID>.